

Behavioral Health Concurrent Review Form for Inpatient, Residential Treatment Center, Partial Hospital Program and Intensive Outpatient Program

Instead of faxing this form, you may submit your request electronically using our preferred method at https://www.availity.com.* If you use this form, fax it to 1-877-434-7578.

- tepo-// to to to to a to a to a to a to a to	, -	use time retiring			
Today's date:					
Contact information:					
Level of care:					
☐ Inpatient psych	□ Inpatient detox		☐ Inpatient substance	abuse rehab	☐ Psychiatric RTC
	☐ Substance abuse RTC ☐ PHP mental health		☐ IOP mental health		☐ IOP substance abuse
(ASAM level, if					☐ PHP substance abuse
appropriate: [])					
Member name:		Member ID or	r reference number:	Member D	OR·
Wember name.		Wiellibel ib of	reference number.	Wielliber D	Ob.
Member address:		1		Member p	hone number:
				,	
Facility account number:		For child/adolescent, name of		Primary spoken language:	
,		parent/guard			
Name of utilization review	v (UR) c	ontact:	UR phone number:		
Admit date:			UR fax number:		
□ Voluntary □ Involuntary					
If involuntary, date of con	nmitme	nt:			
A 1 1111 C 1111			Facility provider number or NPI:		
Admitting facility name:			racility provider nu	mber of NPI.	
Attending physician (first and last names):			Attending physician phone number:		
Attending physician (mist and last names).		According physician	i prioric ridiri	DC1.	
Provider number or NPI:		Facility unit:	ı	Facility pho	one number:
Discharge planner name:		Discharge planner phone number:			
Diagnoses (psychiatric, chemical dependency and medical)					

https://providers.amerigroup.com/TX

^{*} Availity, LLC is an independent company providing administrative support services on behalf of Amerigroup.

Risk of harm to self (within last 24-48 hours)	Risk rating (check all that apply)
If present, describe:	□ Not present □ Ideation □ Plan
	☐ Means ☐ Prior attempt
If prior attempt, date and description:	
Risk of harm to others (within last 24-48	Risk rating (check all that apply)
hours)	
If present, describe:	□ Not present □ Ideation □ Plan
	☐ Means ☐ Prior attempt
If prior attempt, date and description:	
Psychosis (within last 24-48 hours)	Symptoms (check all that apply)
Risk rating: (0 = None; 1 = Mild or Mildly	
Incapacitating; 2 = Moderate or Moderately	
Incapacitating; 3 = Severe or Severely	
Incapacitating; N/A = Not Assessed)	
□ 0 □ 1 □ 2 □ 3 □ N/A	☐ Auditory/visual hallucinations ☐ Paranoia
If present, describe:	☐ Delusions ☐ Command hallucinations
Substance use	Substance (check all that apply)
Risk rating: (0 = None; 1 = Mild or Mildly	· · · · · · · · · · · · · · · · · · ·
Incapacitating; 2 = Moderate or Moderately	
Incapacitating; 3 = Severe or Severely	
Incapacitating; N/A = Not Assessed)	
□ 0 □ 1 □ 2 □ 3 □ N/A	☐ Alcohol ☐ Marijuana ☐ Cocaine ☐ PCP
If present, describe last use, frequency,	☐ LSD ☐ Methamphetamines ☐ Opioids
duration, sober history:	☐ Barbiturates ☐ PCP ☐ Benzodiazepines
	☐ Other (describe):
Urine drug screen?	Result (if applicable)
□ Yes □ No □ Unknown	□ Positive (If checked, list drugs):
a 103 a 140 a Officiowii	a i ositive (ii checkeu, iist urugs).
	□ Negative
	□ Pending

For substance use disorders, please complete the following additional information, based on current assessment:

Current assessment of American Society of Addiction Medicine (ASAM) criteria			
Dimension (describe or give symptoms)	Risk rating		
Dimension 1 (acute intoxication and/or	☐ Minimal/none — not under influence, minimal		
withdrawal potential) (such as vitals,	withdrawal potential		
withdrawal symptoms)	☐ Mild — recent use but minimal withdrawal potential		
	☐ Moderate — recent use, needs 24-hour monitoring		
	☐ Significant — potential for or history of severe		
	withdrawal, history of withdrawal seizures		
	☐ Severe — presents with severe withdrawal, current		
	withdrawal seizures		
Dimension 2 (biomedical conditions and	☐ Minimal/none — none or insignificant medical		
complications)	problems		
, , , , , , , , , , , , , , , , , , , ,	☐ Mild — mild medical problems that do not require		
	special monitoring		
	☐ Moderate — medical condition requires monitoring		
	but not intensive treatment		
	☐ Significant — medical condition has a significant		
	impact on treatment and requires 24-hour monitoring		
	□ Severe — medical condition requires intensive		
	24-hour medical management		
Dimension 3 (emotional, behavioral or	☐ Minimal/none — none or insignificant psychiatric or		
cognitive complications)	behavioral symptoms		
	☐ Mild — psychiatric or behavioral symptoms have		
	minimal impact on treatment		
	☐ Moderate — impaired mental status; passive		
	suicidal/homicidal ideations; impaired ability to		
	complete ADLs		
	☐ Significant — suicidal/homicidal ideations, behavioral		
	-		
	or cognitive problems or psychotic symptoms require		
	24-hour monitoring		
	□ Severe — active suicidal/homicidal ideations and		
	plans, acute psychosis, severe emotional lability or		
	delusions; unable to attend to ADLs; psychiatric and/or		
	behavioral symptoms require 24-hour medical		
Discouries Advantisments about	management		
Dimension 4 (readiness to change)	☐ Maintenance — engaged in treatment		
	☐ Action — committed to treatment and modifying		
	behavior and surroundings		
	☐ Preparation — planning to take action and is making		
	adjustments to change behavior, has not resolved		
	ambivalence		
	☐ Contemplative — ambivalent, acknowledges having a		
	problem and beginning to think about it, has indefinite		
	plan to change		
	☐ Pre-contemplative — in treatment due to external		
	pressure, resistant to change		

Dimension 5 (relapse, continued use or	☐ Minimal/none — little likelihood of relapse		
continued problem potential)	☐ Mild — recognizes triggers, uses coping skills ☐		
	Moderate — aware of potential triggers for MH/SA		
	issues but requires close monitoring		
	☐ Significant — not aware of potential triggers for		
	MH/SA issues, continues to use/relapse despite		
	treatment		
	☐ Severe — unable to control use without 24-hour		
	monitoring, unable to recognize potential triggers for		
	MH/SA despite consequences		
Dimension 6 (recovery living environment)	☐ Minimal/none — supportive environment		
	☐ Mild — environmental support adequate but		
	inconsistent		
	 ☐ Moderate — moderately supportive environment for MH/SA issues 		
	☐ Significant — lack of support in environment or		
	environment supports substance use		
	☐ Severe — environment does not support recovery or		
	mental health efforts; resides with an		
	emotionally/physically abusive individual or active user;		
	coping skills and recovery require a 24-hour setting		
Current treatment plan			
Medications			
Have medications changed (type, dose and/or	frequency) since admission?		
□ Yes			
□No			
If yes, give medication, current amount and ch	ange date:		
Have any PRN medications been administered	Have any PRN medications been administered?		
□ Yes			
□No			
If yes, give medication, administration date and	d current amount:		
Member's participation in and response to tre	eatment		
Attending groups?			
□ Yes			
□ No			
□ N/A			
Family or other supports involved in treatment	t?		
□ Yes			
□No			
□ N/A			
Adherent to medications as ordered?			
□Yes			
□ No			
□ N/A			

Member is improving in (check	call that apply):			
□ Thought processes	□ Yes □ No			
□ Affect	□ Yes □ No			
□ Mood	□ Yes □ No			
□ Performing ADLs	□ Yes □ No			
□ Impulse control/behavior	□ Yes □ No			
□ Sleep	□ Yes □ No			
Support system				
Include coordination activities	with case mana	gers, family, community agencies and so on. If case is open		
with another agency, name the	e agency, phone	number and case number.		
Discharge plan				
	lischarge planni	ng in these areas and plan for resolving barriers. If a recent		
readmission, indicate what is o	- '			
Housing issues:				
Psychiatry:				
Therapy and/or counseling:				
Medical:				
NATIONAL PROPERTY OF THE PROPE				
Wraparound services:				
Substance use services:				
Planned discharge level of care:				
Expected discharge date:				
Submitted by:		Phone number:		