

Behavioral Health Initial Review Form for Inpatient, Residential Treatment Center, Partial Hospital Program and Intensive Outpatient Program

Please submit this form electronically using our preferred method via http://www.availity.com.* You may also fax this form to:

Medicaid: 1-844-430-6805

Medicare Advantage: 1-844-430-1702
 Medicare-Medicaid Plan: 1-844-451-2825

Today's date:									
Contact information									
Level of care:	Level of care: \square PHP mental health \square IOP mental health \square PHP substance use \square IOP substance use								
	ent psych	☐ Inpatier	nt detox						
☐ Inpatient psych☐ Psychiatric RTC☐ Substance use RTC (ASAM level, if appropriate):									
Member name:			Member ID or reference number: Member DOB:						
N.A. wala awa alalwa a									
Member address:				Member phone number:					
Facility account number: For child/adolescent, name of page 1			olescent, name of pa	rent/guardian:	Primary spoken language:				
Name of utilization review (UR) contact:					UR phone number:				
Admit date:	te:				umber:				
Admitting facility name:					Facility provider number or NPI:				
Attending physician (first and last names):					Attending physician phone number:				
Provider number or NPI: Facility unit:			Facility unit:		Facility phone number:				
6: 1					Disabas		-1		
Discharge planner name:					Discharge planner phone number:				
Diagnosos Insu	hiatric c	homical dono	ndency and medical)						
Diagnoses (psyc	illatiit, ti	Terricardepe	iluency and medical)						

https://provider.amerigroup.com

Amerigroup members in the Medicaid Rural Service Area and the STAR Kids program are served by Amerigroup Insurance Company; all other Amerigroup members in Texas are served by Amerigroup Texas, Inc.

Amerigroup STAR+PLUS MMP (Medicare-Medicaid Plan) is a health plan that contracts with both Medicare and Texas Medicaid to provide benefits of both programs to enrollees.

^{*} Availity, LLC is an independent company providing administrative support services on behalf of Amerigroup.

Precipitant to admission. Be specific. Why is the treatment of the treat	ment needed now?
Risk of harm to self	Risk rating (check all that apply)
If present, describe:	\square Not present \square Ideation
	☐ Plan ☐ Means
If prior attempt, date and description:	☐ Prior attempt
Risk of harm to others	Risk rating (check all that apply)
If present, describe:	□ Not present □ Ideation
	☐ Plan ☐ Means
If prior attempt, date and description:	☐ Prior attempt
	·
Psychosis risk rating: (0 = None; 1 = Mild or Mildly	Symptoms (check all that apply)
Incapacitating; 2 = Moderate or Moderately Incapacitating; 3 = Severe or Severely Incapacitating;	
N/A = Not Assessed)	
	☐ Auditory/visual hallucinations ☐ Paranoia
If present, describe:	☐ Command hallucinations ☐ Delusions
The county describe.	E Command Hamacinations
Substance use risk rating: (0 = None; 1 = Mild or	Substance (check all that apply)
Mildly Incapacitating; 2 = Moderate or Moderately	
Incapacitating; 3 = Severe or Severely Incapacitating;	
N/A = Not Assessed)	
	☐ Alcohol ☐ PCP ☐ Methamphetamines
If present, describe last use, frequency, duration, sober history:	☐ Marijuana ☐ LSD ☐ Benzodiazepines
Sobel History.	☐ Cocaine ☐ Opioids ☐ Barbiturates
Urine drug screen?	☐ Other (describe): Result (if applicable)
☐ Yes ☐ No ☐ Unknown	Positive (If checked, list drugs):
Tes - No - Olikilowii	Positive (ii checked, list diags).
	☐ Negative
	☐ Pending
BAL?	Result (if applicable)
☐ Yes ☐ No ☐ Unknown	☐ Pending ☐ Value:
Substance use screening (check if applicable and give	scores)
☐ CIWA:	□ COWS:

 $For substance use \ disorders, please \ complete \ the \ following \ additional \ information$

Current assessment of American Society of Addiction Medicine (ASAM) criteria					
Dimension (describe or give symptoms)	Risk rating				
Dimension 1 (acute intoxication and/or withdrawal potential such as vitals, withdrawal symptoms)	 ☐ Minimal/none — not under influence, minimal withdrawal potential ☐ Mild — recent use but minimal withdrawal potential ☐ Moderate — recent use, needs 24-hour monitoring ☐ Significant — potential for or history of severe withdrawal, history of withdrawal seizures ☐ Severe — presents with severe withdrawal, current withdrawal seizures 				
Dimension 2 (biomedical conditions and complications)	 ☐ Minimal/none — none or insignificant medical problems ☐ Mild — mild medical problems that do not require special monitoring ☐ Moderate — medical condition requires monitoring but not intensive treatment ☐ Significant — medical condition has a significant impact on treatment and requires 24-hour monitoring ☐ Severe — medical condition requires intensive 24-hour medical management 				
Dimension 3 (emotional, behavioral or cognitive complications)	 ☐ Minimal/none — none or insignificant psychiatric or behavioral symptoms ☐ Mild — psychiatric or behavioral symptoms have minimal impact on treatment ☐ Moderate — impaired mental status; passive suicidal/homicidal ideations; impaired ability to complete ADLs ☐ Significant — suicidal/homicidal ideations, behavioral or cognitive problems or psychotic symptoms require 24-hour monitoring ☐ Severe — active suicidal/homicidal ideations and plans, acute psychosis, severe emotional lability or delusions; unable to attend to ADLs; psychiatric and/or behavioral symptoms require 24-hour medical management 				
Dimension 4 (readiness to change)	 □ Maintenance — engaged in treatment □ Action — committed to treatment and modifying behavior and surroundings □ Preparation — planning to take action and is making adjustments to change behavior, has not resolved ambivalence □ Contemplative — ambivalent, acknowledges having a problem and beginning to think about it, has indefinite plan to change □ Pre-contemplative — in treatment due to external pressure, resistant to change 				
Dimension 5 (relapse, continued use or continued problem potential)	 ☐ Minimal/none — little likelihood of relapse ☐ Mild — recognizes triggers, uses coping skills ☐ Moderate — aware of potential triggers for MH/SA issues but requires close monitoring ☐ Significant — not aware of potential triggers for MH/SA issues, continues to use/relapse despite treatment ☐ Severe — unable to control use without 24-hour monitoring, unable to recognize potential triggers for MH/SA despite consequences 				

Dimension 6 (recovery living	☐ Minimal/none — supportive environment
environment)	☐ Mild — environmental support adequate but inconsistent
	☐ Moderate — moderately supportive environment for MH/SA issues
	\square Significant — lack of support in environment or environment
	supports substance use
	\square Severe — environment does not support recovery or mental health
	efforts; resides with an emotionally/physically abusive individual or
	active user; coping skills and recovery require a 24-hour setting
-	ate or higher risk ratings, how are they being addressed in treatment or
discharge planning?	
Previous treatment	
	medications, specific treatment/levels of care and adherence.
melade provider name, racincy name,	The dieutions, specific treatment, reversion care and dufference.
Current treatment plan	
Standing medications:	
As-needed medications administered	(not ordered):
Other treatment and/or interventions	s planned (including when family therapy is planned):
other treatment and/or interventions	planned (melading when lanning therapy is planned).
Support system	
Include coordination activities with ca	ase managers, family, community agencies and others. If case is open with
another agency, name the agency, ph	one number and case number.

Results of depression screening?					
Readmission within last 30 days?					
☐ Yes ☐ No					
If yes and readmission was to the discharging facility, what part of the discharge plan did not work and why?					
and the second s					
Initial discharge plan					
List name and number of discharge planner and include whether the member can return to current residence.					
Planned discharge level of care:					
Describe any barriers to discharge:					
Expected discharge date:					
Submitted by: Phone number:					