

COVID-19 Vaccine and Infusion Code Fee Schedule

The Centers for Medicare and Medicaid Services (CMS) have announced new Healthcare Common Procedure Coding System (HCPCS) codes for healthcare providers to use when treating patients for the novel coronavirus (COVID-19). Additionally, The American Medical Association (AMA) has announced new vaccine-specific Current Procedural Terminology (CPT®) codes to report immunizations for the novel coronavirus (SARS-CoV-2). In response, the Medicaid fee-for-service (FFS) program is reimbursing for these codes at 100% of the Medicare reimbursement rate. The following fee schedule is a summary of the codes, their descriptions, their effective dates, and the FFS reimbursement rate.

NOTE: Institutional providers should bill for vaccine and vaccine administration on a professional claim to receive reimbursement.

If you have any questions about the contents of this fee schedule, please contact Christa Smith at christa.smith@maryland.gov.

For questions related to MCOs and Self-Referred Services, please contact Aran Kim at aran.kim@maryland.gov.

Updated 03.31.2023

COVID-19 Vaccine and Infusion Codes Fee Schedule

Vaccination products will be made available to providers at no cost by the federal government for the foreseeable future; therefore, only the cost of administration will be reimbursed. FFS Medicaid intends to reimburse for vaccine administration in alignment with the Medicare rate.

	Vaccine Products				
CPT Code	Labeler Name	Description	Effective Date	FFS Rate	
91300	Pfizer	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted, for intramuscular use	12/11/2020	\$0.00	
91305	Pfizer	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted, for intramuscular use	1/3/2022	\$0.00	
91307	Pfizer	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, trissucrose formulation, for intramuscular use Pediatric Vaccine	10/29/2021	\$0.00	

91308	Pfizer	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, trissucrose formulation, for intramuscular use Pediatric Vaccine	6/17/2022	\$0.00
91312	Pfizer	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 30 mcg/0.3 mL dosage, trissucrose formulation, for intramuscular use	8/31/2022	\$0.00
91315	Pfizer	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 50 mcg/0.5 mL dosage, for intramuscular use	10/12/2022	\$0.01
91317	Pfizer	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA- LNP, bivalent spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, trissucrose formulation, for intramuscular use	12/8/2022	\$0.01

91301	Moderna	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5mL dosage, for intramuscular use	12/18/2020	\$0.00
91306	Moderna	Severe acute respiratory syndrome coronavirus 2 (SARS- CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA- LNP, spike protein, preservative free, 50 mcg/0.25 mL dosage, for intramuscular use	10/20/2021	\$0.00
91309	Moderna	Severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage, for intramuscular use	3/29/2022	\$0.01
91311	Moderna	Severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 25 mcg/0.25 mL dosage, for intramuscular use	6/17/2022	\$0.01
91313	Moderna	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 50 mcg/0.5 mL dosage, for intramuscular use	8/31/2022	\$0.00

91314	Moderna	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 25 mcg/0.25 mL dosage, for intramuscular use	10/12/2022	\$0.01
91316	Moderna	Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 10 mcg/0.2 mL dosage, for intramuscular use	12/8/2022	\$0.01
91304	Novavax	Severe acute respiratory syndrome coronavirus 2 (SARSCoV- 2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5 mL dosage, for intramuscular use	7/13/2022	\$0.01
91303	Janssen	Severe acute respiratory syndrome coronavirus 2 (SARS- CoV-2) (coronavirus disease [COVID-19] vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x10 ¹⁰ viral particles/0.5ml dosage, for intramuscular use	2/27/2021	\$0.00

		Vaccine Administration		
CPT Code	Labeler Name	Description	Effective Date	FFS Rate
0001A	Pfizer	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent	12/11/20- 3/21/2021	\$16.94
0002A	Pfizer	reconstituted; first dose Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30	3/22/2021 12/11/20- 3/21/2021	\$40.00
		mcg/0.3mL dosage, diluent reconstituted; second dose	3/22/2021	\$40.00
0003A	Pfizer	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted; third dose	8/12/2021	\$40.00
0004A	Pfizer	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19])spike protein, preservative free, 30 mcg/0.3 mL dosage, diluent reconstituted; booster dose vaccine, mRNA-LNP,	9/22/2021	\$40.00
0051A	Pfizer	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, tris-sucrose formulation; first dose	1/3/2022	\$40.00

0052A	Pfizer	Immunization administration by	1/3/2022	\$40.00
		intramuscular injection of severe acute		
		respiratory syndrome coronavirus 2		
		(SARS-CoV-2) (coronavirus disease		
		[COVID-19]) vaccine, mRNA-LNP, spike		
		protein, preservative free, 30		
		mcg/0.3mL dosage, tris-sucrose		
		formulation; second dose		
0053A	Pfizer	Immunization administration by	1/3/2022	\$40.00
		intramuscular injection of severe acute		
		respiratory syndrome coronavirus 2		
		(SARS-CoV-2) (coronavirus disease		
		[COVID-19]) vaccine, mRNA-LNP, spike		
		protein, preservative free, 30		
		mcg/0.3mL dosage, tris-sucrose		
		formulation; third dose		
0054A	Pfizer	Immunization administration by	1/3/2022	\$40.00
		intramuscular injection of severe acute	_/ =/ ====	Ψ 10100
		respiratory syndrome coronavirus 2		
		(SARS-CoV-2) (coronavirus disease		
		[COVID-19]) vaccine, mRNA-LNP, spike		
		protein, preservative free, 30		
		mcg/0.3mL dosage, tris-sucrose		
		formulation; booster dose		
0071A	Pfizer		10/29/2021	\$40.00
0071A	Plizer	Immunization administration by	10/29/2021	\$40.00
		intramuscular injection of severe acute		
		respiratory syndrome coronavirus 2		
		(SARSCoV-2) (coronavirus disease		
		[COVID-19]) vaccine, mRNALNP, spike		
		protein, preservative free, 10 mcg/0.2		
		mL dosage, diluent reconstituted, tris-		
		sucrose formulation; first dose		
0072A	Pfizer	Immunization administration by	10/29/2021	\$40.00
		intramuscular injection of severe acute		
		respiratory syndrome coronavirus 2		
		(SARSCoV-2) (coronavirus disease		
		[COVID-19]) vaccine, mRNALNP, spike		
		protein, preservative free, 10 mcg/0.2		
		mL dosage, diluent reconstituted, tris-		
		sucrose formulation; second dose		
0073A	Pfizer	Immunization administration by	1/1/2022	\$40.00
		intramuscular injection of severe acute		
		respiratory syndrome coronavirus 2		
		(SARSCoV-2) (coronavirus disease		
		[COVID-19]) vaccine, mRNALNP, spike		
		protein, preservative free, 10 mcg/0.2		
	1	, , , , , , , , , , , , , , , , , , , ,		

		mL dosage, diluent reconstituted, trissucrose formulation; third dose		
0074A	Pfizer	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNALNP, spike protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, trissucrose formulation Administration – Booster	5/17/2022	\$40.00
0081A	Pfizer	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNALNP, spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, trissucrose formulation Administration – 1st dose	6/17/2022	\$40.00
0082A	Pfizer	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNALNP, spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, trissucrose formulation Administration – 2nd dose	6/17/2022	\$40.00
0083A	Pfizer	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNALNP, spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, trissucrose formulation Administration – 3rd dose	6/17/2022	\$40.00

0124A	Pfizer	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation, booster dose	8/31/2022	\$40.00
0154A	Pfizer	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 10 mcg/0.2 mL dosage, tris-sucrose formulation, booster dose	10/12/2022	\$40.00
0173A	Pfizer	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, third dose	12/8/2022	\$40.00
0174A	Pfizer	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; booster dose (age 6mos - 4 yrs)	3/14/2023	\$40.00
0011A	Moderna	Immunization administration by intramuscular injection of Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100	12/18/20- 3/21/2021	\$16.94
		mcg/0.5mL dosage; first dose	3/22/2021	\$40.00
0012A	Moderna	Immunization administration by intramuscular injection of Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike	12/18/20- 3/21/2021	\$28.39

		protein, preservative free, 100	3/22/2021	\$40.00
0013A	Moderna	mcg/0.5mL dosage; second dose Immunization administration by intramuscular injection of Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5mL dosage; third dose	8/12/2021	\$40.00
0064A	Moderna	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.25 mL dosage, booster dose	10/20/2021	\$40.00
0094A	Moderna	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage, booster dose	3/29/2022	\$40.00
0091A	Moderna	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage, first dose	6/17/2022	\$40.00
0092A	Moderna	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage, second dose	6/17/2022	\$40.00
0093A	Moderna	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage, third dose	6/17/2022	\$40.00

04444	N 4 = al =	Incomparison to the description of the section of t	6/47/2022	ć 40.00
0111A	Moderna	Immunization administration by	6/17/2022	\$40.00
		intramuscular injection of severe acute		
		respiratory syndrome coronavirus 2		
		(SARS-CoV-2) (coronavirus disease		
		[COVID-19]) vaccine, mRNA-LNP, spike		
		protein, preservative free, 25 mcg/0.25		
		mL dosage, first dose		
0112A	Moderna	Immunization administration by	6/17/2022	\$40.00
		intramuscular injection of severe acute		
		respiratory syndrome coronavirus 2		
		(SARS-CoV-2) (coronavirus disease		
		[COVID-19]) vaccine, mRNA-LNP, spike		
		protein, preservative free, 25 mcg/0.25		
		mL dosage, second dose		
0113A	Moderna	Immunization administration by	6/17/2022	\$40.00
		intramuscular injection of severe acute		
		respiratory syndrome coronavirus 2		
		(SARS-CoV-2) (coronavirus disease		
		[COVID-19]) vaccine, mRNA-LNP, spike		
		protein, preservative free, 25 mcg/0.25		
		mL dosage, third dose		
0134A	Moderna	Immunization administration by	8/31/2022	\$40.00
		intramuscular injection of severe acute		
		respiratory syndrome coronavirus 2		
		(SARS-CoV-2) (coronavirus disease		
		[COVID-19]) vaccine, mRNA-LNP, spike		
		protein, bivalent, preservative free, 50		
		mcg/0.5 mL dosage, booster dose		
0144A	Moderna	Immunization administration by	10/12/2022	\$40.00
		intramuscular injection of severe acute		
		respiratory syndrome coronavirus 2		
		(SARS-CoV-2) (coronavirus disease		
		[COVID-19]) vaccine, mRNA-LNP, spike		
		protein, bivalent, preservative free, 25		
		mcg/0.25 mL dosage, booster dose		
0164A	Moderna	Immunization administration by	12/8/2022	\$40.00
		intramuscular injection of severe acute		
		respiratory syndrome coronavirus 2		
		(SARS-CoV-2) (coronavirus disease		
		[COVID-19]) vaccine, mRNA-LNP, spike		
		protein, bivalent, preservative free, 10		
		mcg/0.2 mL dosage, booster dose		
0134A 0144A	Moderna	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 25 mcg/0.25 mL dosage, third dose Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 50 mcg/0.5 mL dosage, booster dose Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 25 mcg/0.25 mL dosage, booster dose Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 10	8/31/2022	\$40.00

0041A	Novavax	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5 mL dosage; first dose	7/13/2022	\$40.00
0042A	Novavax	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5 mL dosage; second dose	7/13/2022	\$40.00
0044A	Novavax	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARSCoV-2) (coronavirus disease [COVID-19]) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5 mL dosage; booster dose	10/19/2022	\$40.00
0031A	Janssen	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservation free, 5x10 ¹⁰ viral	2/27/2021- 3/21/2021 3/22/2021	\$28.39
0034A	Janssen	particles/0.5 mL dosage, single dose Immunization administration SARSCOV2 AD26 5x10 ¹⁰ viral particles/0.5 mL dosage, booster dose	10/20/2021	\$40.00
M0201	Home Vaccine Admin	COVID-19 vaccine administration inside a patient's home; reported only once per individual home per date of service when only COVID-19 vaccine administration is performed at the patient's home	6/8/2021	\$35.50

Monoclonal Antibodies and Administration				
HCPCS Code	Labeler Name	Description	Effective Date	FFS Rate
J0248	GILEAD	Injection, remdesivir, 1 mg	12/23/2021	\$5.51
Q0239	Eli Lilly	Injection, bamlanivimab, 700 mg	11/10/20- 4/16/2021	\$0.00
M0239	Eli Lilly	Intravenous infusion, bamlanivimab- xxxx, includes infusion and post administration monitoring	11/10/20- 4/16/2021	\$309.60
Q0240 *Note: This product isn't currently authorized	Regeneron	Injection, casirivimab and imdevimab, 600 mg	7/30/2021	\$0.00
Q0243 *Note: This product isn't currently authorized	Regeneron	Injection, casirivimab and imdevimab, 2400 mg	11/21/2020	\$0.00
Q0244 *Note: This product isn't currently authorized	Regeneron	Injection, casirivimab and imdevimab, 1200 mg	6/3/2021	\$0.00
M0240 *Note: This product isn't currently authorized	Regeneron	Intravenous infusion or subcutaneous injection, casirivimab and imdevimab includes infusion or injection, and post administration monitoring, subsequent repeat doses	7/30/2021	\$450.00
M0241 *Note: This product isn't currently authorized	Regeneron	Intravenous infusion or subcutaneous injection, casirivimab and imdevimab includes infusion or injection, and post administration monitoring, in the home or residence, this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 PHE, subsequent repeat doses	7/30/2021	\$750.00

M0243 *Note: This product isn't currently authorized	Regeneron	Intravenous infusion, casirivimab and imdevimab includes infusion and post administration monitoring	11/21/20- 5/13/2021 5/14/2021	\$309.60
M0244 *Note: This product isn't currently authorized	Regeneron	Intravenous infusion, casirivimab and imdevimab includes infusion and post administration monitoring in the home or residence	5/6/2021	\$750.00
Q0245 *Note: This product isn't currently authorized	Eli Lilly	Injection, bamlanivimab and etesevimab, 2100 mg	2/9/2021	\$0.00
*Note: This product isn't currently	Eli Lilly	Intravenous infusion, bamlanivimab and etesevimab, includes infusion and post administration	2/9/2021- 5/13/2021	\$309.60
authorized		monitoring	5/14/2021	\$450.00
M0246 *Note: This product isn't currently authorized	Eli Lilly	Intravenous infusion, bamlanivimab and etesevimab, includes infusion and post administration monitoring in the home or residence	5/6/2021	\$750.00
Q0247	GSK	Injection, sotrovimab, 500 mg	5/26/2021	\$2,394.00
M0247	GSK	Intravenous infusion sotrovimab, includes infusion and post administration monitoring	5/26/2021	\$450.00
M0248	GSK	Intravenous infusion, sotrovimab, includes infusion and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency	5/26/2021	\$750.00

Q0249	Genentech	Injection, tocilizumab, for hospitalized adults and pediatric patients (2 years of age and older) with covid-19 who are receiving systemic corticosteroids and require supplemental oxygen, noninvasive or invasive mechanical ventilation, or extracorporeal membrane oxygenation (ECMO) only, 1 mg	6/24/2021	\$6.57
M0249	Genentech	Intravenous infusion, tocilizumab, for hospitalized adults and pediatric patients (2 years of age and older) with covid-19 who are receiving systemic corticosteroids and require supplemental oxygen, non-invasive or invasive mechanical ventilation, or extracorporeal membrane oxygenation (ECMO) only, includes infusion and post administration monitoring, first dose	6/24/2021	\$450.00
M0250	Genentech	Intravenous infusion, tocilizumab, for hospitalized adults and pediatric patients (2 years of age and older) with covid-19 who are receiving systemic corticosteroids and require supplemental oxygen, non-invasive or invasive mechanical ventilation, or extracorporeal membrane oxygenation (ECMO) only, includes infusion and post administration monitoring, second dose	6/24/2021	\$450.00

Q0220	AstraZeneca	Injection tivegovimen and	12/0/2021	\$0.00
Q0220	Astrazeneca	Injection, tixagevimab and	12/8/2021	\$0.00
		cilgavimab, for the pre-		
		exposure prophylaxis only, for		
		certain adults and pediatric		
		individuals (12 years of age		
		and older weighing at least		
		40kg) with no known sars-cov-		
		2 exposure, who either have		
		moderate to severely		
		compromised immune		
		systems or for whom		
		vaccination with any available		
		covid-19 vaccine is not		
		recommended due to a history		
		of severe adverse reaction to a		
		covid-19 vaccine(s) and/or		
		covid-19 vaccine		
		component(s), 300 mg		
Q0221	AstraZeneca	Injection, tixagevimab and	2/24/2022	\$0.01
		cilgavimab, for the pre-		
		exposure prophylaxis only, for		
		certain adults and pediatric		
		individuals (12 years of age		
		and older weighing at least		
		40kg) with no known sars-cov-		
		2 exposure, who either have		
		moderate to severely		
		compromised immune		
		systems or for whom		
		vaccination with any available		
		covid-19 vaccine is not		
		recommended due to a history		
		of severe adverse reaction to a		
		covid-19 vaccine(s) and/or		
		covid-19 vaccine		
		component(s), 600 mg		

cilgavimab, for the pre- exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov- 2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine(s) and/or covid-19 vaccine injection and post administration monitoring injection, tixagevimab and cilgavimab, for the pre- exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov- 2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency	140000	T	1, . ,	10/0/222	4
exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine component(s), includes injection and post administration monitoring linjection, tixagevimab and cilgavimab, for the preexposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine(s) and/or covid-19 vaccine(s) and/or covid-19 vaccine(s) includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency	M0220	AstraZeneca	Injection, tixagevimab and	12/8/2021	\$150.50
certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring Injection, tixagevimab and cilgavimab, for the preexposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiarry's home that has been made provider-based to the hospital during the covid-19 public health emergency					
individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine component(s), includes injection and post administration monitoring M0221 AstraZeneca Injection, tixagevimab and cligavimab, for the preexposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine is not recommended with the covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency					
and older weighing at least 40kg) with no known sars-cov- 2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring M0221 AstraZeneca Injection, tixagevimab and cligavimab, for the pre- exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov- 2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine (s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency			<u> </u>		
40kg) with no known sars-cov- 2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine component(s), includes injection and post administration monitoring M0221 AstraZeneca Injection, tixagevimab and cilgavimab, for the preexposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency			individuals (12 years of age		
2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring linjection, tixagevimab and cilgavimab, for the pre-exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine (s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency			and older weighing at least		
2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring linjection, tixagevimab and cilgavimab, for the pre-exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine (s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency			40kg) with no known sars-cov-		
moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring M0221 AstraZeneca Injection, tixagevimab and cilgavimab, for the preexposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine(s) and/or covid-19 vaccine injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency					
compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine component(s), includes injection and post administration monitoring M0221 AstraZeneca Injection, tixagevimab and cilgavimab, for the pre- exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov- 2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency			1		
systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring M0221 AstraZeneca Injection, tixagevimab and cilgavimab, for the pre-exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency			•		
vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine component(s), includes injection and post administration monitoring M0221 AstraZeneca Injection, tixagevimab and cilgavimab, for the preexposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency			•		
covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring M0221 AstraZeneca Injection, tixagevimab and cilgavimab, for the preexposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency					
recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring M0221 AstraZeneca Injection, tixagevimab and cilgavimab, for the preexposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made providerbased to the hospital during the covid-19 public health emergency			1		
of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring M0221 AstraZeneca Injection, tixagevimab and cilgavimab, for the pre-exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine (s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency					
covid-19 vaccine (s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring M0221 AstraZeneca Injection, tixagevimab and cilgavimab, for the preexposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency			- I		
covid-19 vaccine component(s), includes injection and post administration monitoring M0221 AstraZeneca Injection, tixagevimab and cilgavimab, for the pre- exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov- 2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency					
component(s), includes injection and post administration monitoring M0221 AstraZeneca Injection, tixagevimab and cilgavimab, for the pre-exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency					
injection and post administration monitoring M0221 AstraZeneca Injection, tixagevimab and cilgavimab, for the preexposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency			covid-19 vaccine		
AstraZeneca Injection, tixagevimab and cilgavimab, for the pre-exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency			component(s), includes		
M0221 AstraZeneca Injection, tixagevimab and cilgavimab, for the preexposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency			injection and post		
M0221 AstraZeneca Injection, tixagevimab and cilgavimab, for the preexposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency					
exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency	M0221	AstraZeneca	Injection, tixagevimab and	12/8/2021	\$250.50
exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency					
certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency					
individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency					
and older weighing at least 40kg) with no known sars-cov- 2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency			<u> </u>		
40kg) with no known sars-cov- 2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency					
2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency					
moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency					
compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency			1		
systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency			•		
vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency			<u> </u>		
covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency			1 -		
recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency			vaccination with any available		
of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health emergency			covid-19 vaccine is not		
covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency			recommended due to a history		
covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency			of severe adverse reaction to a		
covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency			covid-19 vaccine(s) and/or		
component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency			* * * * * * * * * * * * * * * * * * * *		
injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency					
administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency					
the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency			·		
includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency					
that has been made provider- based to the hospital during the covid-19 public health emergency					
based to the hospital during the covid-19 public health emergency					
the covid-19 public health emergency					
emergency					
			the covid-19 public health		
00222 Eli Lilly Injection hebtologimen 175 2/11/2022 60.01			emergency		
QUZZZ EILLINY INJECTION, DEDICTION INTO Z/11/2022 \$0.01	Q0222	Eli Lilly	Injection, bebtelovimab, 175	2/11/2022	\$0.01
mg			mg		

M0222	Eli Lilly	Intravenous injection, bebtelovimab, includes injection and post administration monitoring	2/11/2022	350.50
M0223	Eli Lilly	Intravenous injection, bebtelovimab, includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider- based to the hospital during the covid-19 public health emergency	2/11/2022	550.50

COVID-19 Vaccine Counseling

Effective January 1, 2022, Maryland Medicaid will reimburse for preventative medicine counseling and/or risk factor reduction intervention(s) that are provided to an individual, up to 15 minutes, for counseling of Maryland Medicaid participants regarding the benefits of receiving the COVID-19 vaccine. This benefit is available to Medicaid participants 20 years of age and under. Parents or guardians of Medicaid children may be counseled on the child's behalf regarding benefit of receiving the COVID-19 vaccination. Providers should bill for this counseling using the child's Medical Assistance number. Only one code can be billed per day.

In order to be reimbursed, providers must bill 99401 with the CR modifier. The GT/UB modifier should also be utilized if the service is provided via telehealth. Only physicians, nurse practitioners, and physician assistants may render this service.

Covid-19 Vaccine Counseling				
CPT Code	Description	Effective Date	FFS Rate NFAC	FFS Rate FAC
99401	Preventative medicine counseling and/or risk factor reduction intervention(s) provided to an individual, up to 15 minutes has been added to counsel Medicaid beneficiaries regarding the benefits of receiving the COVID-19 vaccine.	1/1/2022	\$42.41	\$26.10