

Behavioral Health Initial Review Form for Inpatient, Residential Treatment Center, Partial Hospital Program, and Intensive Outpatient Program

Instead of faxing this form, submit your request electronically using our preferred method at http://availity.com.* If you have questions about completing this form, please call our Behavioral Health department at 800-454-3730. You may also fax this form to:

• Medicaid: 844-430-6806

• Medicare Advantage: **844-430-1702**

Today's date:								
Contact informa	ation							
Level of care: ☐ PHP mental health ☐ IOP mental health ☐ PHP substance use ☐ IOP substance use								IOP substance use
☐ Inpatient psych ☐ Psychiatric RTC ☐ Inpatient					t detox			
☐ Substance use RTC (ASAM level, if appropriate):								
Member name:				Member ID or reference numbe		er:	Member DOB:	
Member address:				l		Membe	er phor	ne number:
Facility account number: For child/adolescent, nar				me of pare	nt/guardian:	Primary spoken language:		
Name of utilization review (UR) contact:						UR phone number:		
Admit date: ☐ Voluntary ☐ Involuntary If involuntary, date of con					date of com	mitment:	UR	fax number:
Admitting facility name:					Facility provider number or NPI:			
Attending physician (first and last names):						Attending physician phone number:		
Provider number or NPI:			Facility unit:		Facility phone number:			
Discharge planner name:					Discharge planner phone number:			
Diagnoses (psyc	hiatric, cl	hemical dep	endency, an	d medical)				

https://provider.amerigroup.com/WA

WAPEC-3218-21 November 2021

^{*} Availity, LLC is an independent company providing administrative support services on behalf of Amerigroup Washington, Inc.

Precipitant to admission. Be specific. Why is the treat	ment needed now?	
Risk of harm to self	Risk rating (check all that apply)	
If present, describe:	☐ Not present ☐ Ideation	
If prior attempt, date and description:	☐ Plan ☐ Means	
Triprior accompts, date and description.	☐ Prior attempt	
Risk of harm to others	Risk rating (check all that apply)	
If present, describe:	□ Not present □ Ideation	
If prior attempt, date and description:	☐ Plan ☐ Means	
	☐ Prior attempt	
Psychosis risk rating: (0 = None; 1 = Mild or Mildly Incapacitating; 2 = Moderate or Moderately	Symptoms (check all that apply)	
Incapacitating; 3=Severe or Severely Incapacitating;		
N/A = Not Assessed)		
$\square 0 \square 1 \square 2 \square 3 \square N/A$	☐ Auditory/visual hallucinations	☐ Paranoia
If present, describe:	☐ Command hallucinations	☐ Delusions
Substance use risk rating: (0 = None; 1 = Mild or	Substance (check all that apply)	
Mildly Incapacitating; 2 = Moderate or Moderately		
Incapacitating; 3=Severe or Severely Incapacitating; N/A = Not Assessed)		
$\square 0 \square 1 \square 2 \square 3 \square N/A$	☐ Alcohol ☐ PCP	☐ Methamphetamines
If present, describe last use, frequency, duration, sober		☐ Benzodiazepines
history:	☐ Cocaine ☐ Opioids	☐ Barbiturates
	☐ Other (describe):	
Urine drug screen?	Result (if applicable)	
☐ Yes ☐ No ☐ Unknown	☐ Positive (If checked, list drugs):	
	☐ Negative	
	☐ Pending	
BAL?	Result (if applicable)	
☐ Yes ☐ No ☐ Unknown	☐ Pending ☐ Value:	
Substance use screening (check if applicable and giv	e scores)	
□ CIWA: □	COWS:	

For substance use disorders, please complete the following additional information.

Current assessment of American Society of Addiction Medicine (ASAM) criteria					
Dimension (describe or give symptoms)	Risk rating				
Dimension 1 (acute intoxication and/or withdrawal potential such as vitals, withdrawal symptoms)	 ☐ Minimal/none — not under influence, minimal withdrawal potential ☐ Mild — recent use but minimal withdrawal potential ☐ Moderate — recent use, needs 24-hour monitoring ☐ Significant — potential for or history of severe withdrawal, history of withdrawal seizures ☐ Severe — presents with severe withdrawal, current withdrawal seizures 				
Dimension 2 (biomedical conditions and complications)	 ☐ Minimal/none — none or insignificant medical problems ☐ Mild — mild medical problems that do not require special monitoring ☐ Moderate — medical condition requires monitoring but not intensive treatment ☐ Significant — medical condition has a significant impact on treatment and requires 24-hour monitoring ☐ Severe — medical condition requires intensive 24-hour medical management 				
Dimension 3 (emotional, behavioral, or cognitive complications)	☐ Minimal/none — none or insignificant psychiatric or behavioral symptoms ☐ Mild — psychiatric or behavioral symptoms have minimal impact on treatment ☐ Moderate — impaired mental status; passive suicidal/homicidal ideations; impaired ability to complete ADLs ☐ Significant — suicidal/homicidal ideations, behavioral or cognitive problems or psychotic symptoms require 24-hour monitoring ☐ Severe — active suicidal/homicidal ideations and plans, acute psychosis, severe emotional lability or delusions; unable to attend to ADLs; psychiatric and/or behavioral symptoms require 24-hour medical management				
Dimension 4 (readiness to change)	☐ Maintenance — engaged in treatment ☐ Action — committed to treatment and modifying behavior and surroundings ☐ Preparation — planning to take action and is making adjustments to change behavior, has not resolved ambivalence ☐ Contemplative — ambivalent, acknowledges having a problem and beginning to think about it, has indefinite plan to change ☐ Pre-contemplative — in treatment due to external pressure, resistant to change				

Dimension 5 (relapse, continued use,	☐ Minimal/none — little likelihood of relapse					
or continued problem potential)	☐ Mild — recognizes triggers, uses coping skills					
	☐ Moderate — aware of potential triggers for MH/SA issues but requires					
	close monitoring					
	☐ Significant — not aware of potential triggers for MH/SA issues,					
	continues to use/relapse despite treatment					
	☐ Severe — unable to control use without 24-hour monitoring, unable to					
	recognize potential triggers for MH/SA despite consequences					
Dimension 6 (recovery living	☐ Minimal/none — supportive environment					
environment)	☐ Mild — environmental support adequate but inconsistent					
	☐ Moderate — moderately supportive environment for MH/SA issues					
	☐ Significant — lack of support in environment or environment					
	supports substance use					
	☐ Severe — environment does not support recovery or mental health					
	efforts; resides with an emotionally/physically abusive individual or					
	active user; coping skills and recovery require a 24-hour setting					
planning?	ate or higher risk ratings, how are they being addressed in treatment or discharge					
Previous treatment						
	medications, specific treatment/levels of care, and adherence.					
1 , , ,	, 1					
Current treatment plan						
Standing medications:						
As-needed medications administered (not ordered):					
	1 1/: 1 1: 1 0 1 4 1: 1 1)					
Other treatment and/or interventions p	planned (including when family therapy is planned):					

Support system Include coordination activities with case managers, family, community agencies, and others. If case is open with another agency, name the agency, phone number, and case number.
Results of depression screening?
Readmission within last 30 days?
□ Yes □ No
If yes and readmission was to the discharging facility, what part of the discharge plan did not work and why?
Initial discharge plan
List name and number of discharge planner and include whether the member can return to current residence.
Planned discharge level of care:

Expected discharge date:	
Expected discharge date:	
Describe any barriers to discharge:	