

HEDIS Benchmarks and Coding Guidelines Electronic Clinical Data Systems (ECDS)





Table of contents

| Electronic Clinical Data Systems | 3 |
|---|------------------|
| Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) | 5 |
| Adult Immunization Status (AIS-E) | 6 |
| Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E) | 7 |
| Unhealthy Alcohol Use Screening and Follow-Up (ASF-E) | 8 |
| Breast Cancer Screening (BCS-E) | 9 |
| Cervical Cancer Screening (CCS-E) | . 10 |
| Childhood Immunization Status (CIS-E) | . 11 |
| Colorectal Cancer Screening (COL-E) | . 13 |
| Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS | -E)14 |
| Depression Remission or Response for Adolescents and Adults (DRR-E) | . 15 |
| Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) | . 16 |
| Immunizations for Adolescents (IMA-E) | . 18 |
| Postpartum Depression Screening and Follow-Up (PDS-E) | . 19 |
| Prenatal Depression Screening and Follow-up (PND-E) | . 21 |
| Prenatal Immunization Status (PRS-E) | . 23 |
| Social Need Screening and Intervention (SNS-E) | . 24 |
| Appendix | . 28 |
| Coding for ECDS measures | |
| Follow-Up Care for Children Prescribed ADHD Medication (ADD-E) | |
| Adult Immunization Status (AIS-E) | |
| Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E) | |
| Unhealthy Alcohol Use Screening and Follow-Up (ASF-E) | |
| Breast Cancer Screening (BCS-E) | |
| Childhood Immunization Status (CIS-E) | 33 |
| Colorectal Cancer Screening (COL-E) | 36 |
| Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DM | Л S-Е) 36 |
| Depression Remission or Response for Adolescents and Adults (DRR-E) | |
| Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) | |
| Immunizations for Adolescents (IMA-E) | 45 |

| Postpartum Depression Screening and Follow-Up (PDS-E) | 46 |
|---|----|
| Prenatal Depression Screening and Follow-up (PND-E) | 52 |
| Prenatal Immunization Status (PRS-E) | 60 |
| Social Need Screening and Intervention (SNS-E) | 60 |

Electronic Clinical Data Systems

The HEDIS[®] quality measures reported using the Electronic Clinical Data Systems (ECDS) inspire innovative use of electronic clinical data to document high-quality patient care that demonstrates commitment to evidence-based practices. Organizations that report HEDIS using ECDS encourage the electronic exchange of the information needed to provide high-quality services, ensuring that the information reaches the right people at the right time:

- ECDS reporting is part of the National Committee for Quality Assurance's (NCQA) larger strategy to enable a digital quality system and is aligned with the industry's move to digital measures.
- The ECDS reporting standard provides a method to collect and report structured electronic clinical data for HEDIS quality measurement and improvement.
- According to the NCQA, the HEDIS hybrid data collection (medical record collection) will be phased-out in the coming years.
- Health plans and healthcare providers will need to take advantage of electronic data streams to ensure accurate reporting of measures that require data not typically found in claims.
- CPT[®] Category II codes can be used for performance measurement. The use of the CPT II decreases the need for record abstraction and chart review.
- CVX codes represent the type of product used in an immunization. Every immunization that used a given type of product will have the same CVX, regardless of who received it.
- LOINC codes and SNOMED codes do not appear on claims and are quickly becoming vital to HEDIS reporting, especially for ECDS measures:
 - LOINC codes while typically associated with lab data, there are several behavioral health screenings that can only be represented by LOINC codes for the purposes of HEDIS reporting and can be extracted from electronic medical record (EMR) systems.
 - SNOMED codes represent both diagnoses and procedures as well as clinical findings.
 SNOMED codes are the industry standard for classifying clinical data in EMR systems and can be extracted from EMR systems.
 - Because LOINC codes and SNOMED CT codes can only be obtained through supplemental data feeds, it is important that health plans and the provider community embrace the sharing of these EMR data to ensure the quality of care our members are receiving.

Helpful tips:

- Utilize this booklet as a reference to understand the ECDS measures and the coding associated with electronic data transmission.
- Contact your health plan representative to establish an electronic data transfer with the plan if your organization does not already have one.
- Make full use of CPT II codes to submit care quality findings, many HEDIS gaps could be closed via claims if CPT II codes were fully utilized.

HEDIS[®] is a registered trademark of the National Committee for Quality Assurance (NCQA).

The codes and measure tips listed are informational only, not clinical guidelines or standards of medical care, and do not guarantee reimbursement. All member care and related decisions of treatment are the sole responsibility of the provider. This information does not dictate or control your clinical decisions regarding the appropriate care of members. Your state/provider contract(s), Medicaid, member benefits and several other guidelines determine reimbursement for the applicable codes. Proper coding and providing appropriate care decrease the need for high volume of medical record review requests and provider audits. It also helps us review your performance on the quality of care that is provided to our members and meet the HEDIS measure for quality reporting based on the care you provide our members. Please note: The information provided is based on HEDIS MY 2023 technical specifications and is subject to change based on guidance given by the National Committee for Quality Assurance (NCQA), the Centers for Medicare & Medicaid Services (CMS) and state recommendations. Please refer to the appropriate agency for additional guidance.

- Ensure the EMR systems are set up to link the clinical and behavior health entries to LOINC codes and SNOMED codes:
 - Ensure that the extracts are inclusive of LOINC codes for behavioral health screenings among other things and SNOMED codes.

Notes



Amerigroup Washington, Inc. Page 5 of 63 Follow-Up Care for Children Prescribed ADHD Medication (ADD-E)

This measure looks at the percentage of children newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who had at least three follow-up care visits within a 10-month period, one of which was within 30 days of when the first ADHD medication was dispensed.

Two rates are reported:

- **Initiation Phase:** the percentage of members 6 to 12 years of age as of the index prescription start date (IPSD) with an ambulatory prescription dispensed for ADHD medication, who had one follow-up visit with practitioner with prescribing authority during the 30-day Initiation Phase.
- Continuation and Maintenance (C&M) Phase: the percentage of members 6 to 12 years of age as of the IPSD with an ambulatory prescription dispensed for ADHD medication, who remained on the medication for at least 210 days and who, in addition to the visit in the Initiation Phase, had at least two follow-up visits with a practitioner within 270 days (nine months) after the Initiation Phase ended.

Record your efforts

When prescribing a new ADHD medication:

- Be sure to schedule a follow-up visit right away within 30 days of ADHD medication initially prescribed or restarted after a 120-day break.
- Schedule follow-up visits while members are still in the office.
- Have your office staff call members at least three days before appointments.
- After the initial follow-up visits, schedule at least two more office visits in the next nine months to monitor patient's progress.
- Be sure that follow-up visits include the diagnosis of ADHD.

Exclusions:

- Exclude members who had an acute inpatient encounter for a mental, behavioral, or neurodevelopmental disorder during the 300 days (10 months) after the IPSD.
- Members with a diagnosis of narcolepsy
- Members in hospice or using hospice services anytime during the measurement year

Notes

Adult Immunization Status (AIS-E)

This measure looks at the percentage of members 19 years of age and older who are up to date on recommended routine vaccines for influenza; tetanus and diphtheria (Td); tetanus, diphtheria, and acellular pertussis (Tdap); zoster; and pneumococcal.

Record your efforts

Document the required age vaccines were received according to the time interval specified in the measure:

- Members who received an influenza vaccine on or between July 1 of the year prior to the measurement period and June 30 of the measurement period
- Members who received at least one Td vaccine or one Tdap vaccine between nine years prior to the start of the measurement period and the end of the measurement period

or

- Members with a history of at least one of the following contraindications any time before or during the measurement period:
 - Anaphylaxis due to the diphtheria, tetanus, or pertussis vaccine.
 - Encephalitis due to the diphtheria, tetanus, or pertussis vaccine.
- Members who received at least one dose of the herpes zoster live vaccine or two doses of the herpes zoster recombinant vaccine at least 28 days apart, any time on or after the member's 50th birthday and before or during the measurement period
- Members who were administered the 23-valent pneumococcal polysaccharide vaccine on or after the member's 60th birthday and before or during the measurement period

Exclusion:

• Members in hospice or using hospice services any time during the measurement period

Notes

This HEDIS measure looks at the percentage of children and adolescents 1 to 17 years of age who had two or more antipsychotic prescriptions and had metabolic testing. Three rates are reported:

- The percentage of children and adolescents on antipsychotics who received blood glucose testing
- The percentage of children and adolescents on antipsychotics who received cholesterol testing
- The percentage of children and adolescents on antipsychotics who received blood glucose and cholesterol testing

Record your efforts:

- Members who received at least one test for blood glucose or HbA1c
- Members who received at least one test for LDL-C or cholesterol
- Members who received both of the following on the same or different dates:
 - At least one test for blood glucose or HbA1c
 - At least one test for LDL-C or cholesterol

Exclusions:

• Members in hospice or using hospice services anytime during the measurement year

Notes

Unhealthy Alcohol Use Screening and Follow-Up (ASF-E)

This measure looks at the percentage of members 18 years of age and older who were screened for unhealthy alcohol use using a standardized instrument and, if screened positive, appropriate follow-up care:

- *Unhealthy Alcohol Use Screening* The percentage of members who had a systematic screening for unhealthy alcohol use.
- *Alcohol Counseling or Other Follow-up Care* The percentage of members receiving brief counseling or other follow-up care within two months of screening positive for unhealthy alcohol use.

Record your efforts

A standard assessment instrument that has been normalized and validated for the adult patient population to include *AUDIT*, *AUDIT-C*, and a *Single-Question Screen*. Screening requires completion of one or more instruments. The threshold for a positive finding is indicated below for each instrument:

| Screening instrument | Positive finding |
|--|---------------------------|
| Alcohol Use Disorders Identification Test (AUDIT) Screening Instrument | Total score ≥ 8 |
| Alcohol Use Disorders Identification Test | Total score ≥ 4 for men |
| Consumption (AUDIT-C) Screening Instrument | Total score ≥ 3 for women |
| Single-Question Screen: | Total score ≥ 1 |
| How many times in the past year have you had five (for men) or four (for women and all adults older than 65 years) or more drinks in a day? | |

Any of the following on or up to 60 days after the first positive screen:

- Feedback on alcohol use and harms
- Identification of high-risk situations for drinking and coping strategies
- Increase the motivation to reduce drinking
- Development of a personal plan to reduce drinking
- Documentation of receiving alcohol misuse treatment

Exclusions:

- Members with alcohol use disorder that starts during the year prior to the measurement period
- Members with history of dementia any time during the member's history through the end of the measurement period
- Members in hospice or using hospice services any time during the measurement period

Breast Cancer Screening (BCS-E)

This HEDIS measure looks at women 50 to 74 years of age who had a mammogram to screen for breast cancer within the past two years.

Record your efforts

Include documentation of all types and methods of mammograms including:

- Screening
- Diagnostic
- Film
- Digital
- Digital breast tomosynthesis

In establishing health history with new members, please make sure you ask about when members last mammogram was performed, document at a minimum, year performed in your health history.

Gaps in care are not closed by the following, as they are performed as an adjunct to mammography:

- Breast ultrasounds
- MRIs
- Biopsies

Exclusions:

- Members who had a bilateral mastectomy or both right and left unilateral mastectomies any time during the member's history through the end of the measurement period
- Members receiving palliative care
- Members in hospice or using hospice services anytime during the measurement year
- Members 66 years of age and with frailty and advanced illness. Members must meet *both* of the following frailty and advanced illness criteria to be excluded:
 - At least two indications of frailty
 - At least two outpatient visits with an advanced illness diagnosis

Notes

Cervical Cancer Screening (CCS-E)

The percentage of women 21-64 years of age who screened for cervical cancer using any of the following criteria:

- Women 21 to 64 years of age who had cervical cytology performed within the last three years.
- Women 30 to 64 years of age who had cervical high-risk papillomavirus (hrHPV) testing performed within five years.
- Women 30 to 64 years of age who had cervical cytology/high risk human papillomavirus (hrHPV) contesting within the last five years.

Record your efforts

Make sure your medical records reflect:

- The date when the cervical cytology was performed.
- The results or findings
- Notes in patient's chart if patient has a history of hysterectomy:
 - Complete details if it was a complete, total, or radical abdominal, vaginal, or unspecified hysterectomy with no residual cervix; also, document history of cervical agenesis or acquired absence of cervix. Include, at a minimum, the year the surgical procedure was performed.

Exclusions:

- Members who have one of the following in their history can be excluded:
 - Absence of cervix
 - Hysterectomy with no residual cervix, cervical agenesis or acquired absence of a cervix
 - o Members receiving palliative care
 - Members in hospice or using hospice services anytime during the measurement year

Notes

Childhood Immunization Status (CIS-E)

The percentage of children turning 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV); one measles, mumps, and rubella (MMR); three haemophiles influenza type B (HiB); three hepatitis B (Hep B); one chicken pox (VZV); four pneumococcal conjugate (PCV); one hepatitis A (Hep A); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday:

- Hep B *initial dose* is the only vaccine that can be given before 42 days after birth
- Influenza cannot be given until infant is 6 months of age
- MMR, VZV, and Hep A can only be given between first and second birthday to close the gap
- Second influenza vaccination may be the LAIV given on members second birthday

| Immunization | Dose(s) |
|--------------|--|
| DTaP | 4 |
| IPV | 3 |
| MMR | 1 |
| Hib | 3 |
| Нер В | 3 |
| VZV | 1 |
| PCV | 4 |
| Нер А | 1 |
| Rotavirus | 2 or 3: |
| | Two-dose (Rotarix) |
| | Three-dose (Rotateq) vaccine |
| Influenza | Second dose may be LAIV given on second birthday |

Record your efforts

Once you give our members their needed immunizations, let us and the state know by:

- Recording the immunizations in your state registry.
- Documenting the immunizations (historic and current) within medical records to include:
 - A note indicating the name of the specific antigen and the date of the immunization.
 - The certificate of immunization prepared by an authorized healthcare provider or agency.
 - Parent refusal, documented history of anaphylactic reaction to serum/vaccinations, illnesses, or seropositive test result.
 - The date of the first hepatitis B vaccine given at the hospital and name of the hospital if available.
 - A note that the *member is up to date* with all immunizations but does not list the dates of all immunizations and the names of the immunization agents does not constitute sufficient evidence of immunization for HEDIS reporting.

Exclusions:

- Any of the following on or before the child's second birthday:
 - Severe combined immunodeficiency
 - Immunodeficiency
 - o HIV
 - o Lymphoreticular cancer, multiple myeloma, or leukemia.
 - Intussusception.
- Members in hospice or using hospice services anytime during the measurement year

Notes

Colorectal Cancer Screening (COL-E)

This measure looks at the percentage of members 45 to 75 years of age who had appropriate screening for colorectal cancer.

Record your efforts:

- Members with one or more screenings for colorectal cancer. Any of the following meet criteria:
 - Fecal occult blood test during the measurement period
 - Flexible sigmoidoscopy during the measurement period or the four years prior to the measurement period
 - Colonoscopy during the measurement period or the nine years prior to the measurement period
 - CT colonography during the measurement period or the four years prior to the measurement period
 - Stool DNA (sDNA) with FIT test during the measurement period or the two years prior to the measurement period

Exclusions:

- Members in hospice or using hospice services any time during the measurement period.
- Members with colorectal cancer or a total colectomy any time during the member's history through the end of the measurement period.
- Members receiving palliative care during the measurement period.
- Members 66 years of age and with frailty and advanced illness. Members must meet BOTH of the following frailty and advanced illness criteria to be excluded:
 - At least two indications of frailty
 - At least two outpatient visits with an advanced illness diagnosis

Notes

Page 14 of 63 Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E)

Amerigroup Washington, Inc.

This measure looks at the percentage of members 12 years of age and older with a diagnosis of major depression or dysthymia who had an outpatient encounter with a *Patient Health Questionnaire-9* (*PHQ-9*) score present in their record in the same assessment period as the encounter.

Record your efforts

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for reporting is based on eligibility during the participation period.

The measurement period is divided into three assessment periods with specific dates of service:

- Assessment Period 1: January 1 to April 30
- Assessment Period 2: May 1 to August 31
- Assessment Period 3: September 1 to December 31

The measure allows the use of two *PHQ-9* assessments. Selection of the appropriate assessment should be based on the member's age:

- *PHQ-9*: 12 years of age and older
- *PHQ-9 Modified for Teens*: 12 to 17 years of age

The *PHQ-9* assessment does not need to occur during a face-to-face encounter; it may be completed over the telephone or through a web-based portal.

Exclusions:

- Members with any of the following at any time during member's history through the end measurement period:
 - Bipolar disorder
 - o Personality disorder
 - Psychotic disorder
 - o Pervasive developmental disorder
 - Members in hospice or using hospice services any time during the measurement period

Notes

This measure looks at the percentage of members 12 years of age and older with a diagnosis of depression and an elevated PHQ-9 score, who had evidence of response or remission within four to eight months of the elevated score:

- *Follow-Up PHQ-9* The percentage of members who have a follow-up *PHQ-9* score documented within four to eight months after the initial elevated *PHQ-9* score.
- *Depression Remission* The percentage of members who achieved remission within four to eight months after the initial elevated *PHQ-9* score.
- *Depression Response* The percentage of members who showed response within four to eight months after the initial elevated *PHQ-9* score.

Record your efforts

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for reporting is based on eligibility during the participation period:

- May 1 of the year prior to the measurement period through December 31 of the measurement period
- May 1 of the year prior to the measurement period through April 30 of the measurement period
- The 120- to 240-day period after the index episode start date.
- Index episode start date: The earliest date during the intake period where a member has a diagnosis of major depression or dysthymia *and* a *PHQ-9* total score > 9 documented.

The measure allows the use of two *PHQ-9* assessments. Selection of the appropriate assessment should be based on the member's age:

- *PHQ-9*: 12 years of age and older
- PHQ-9 Modified for Teens: 12 to 17 years of age

The *PHQ-9* assessment does not need to occur during a face-to-face encounter; it may be completed over the telephone or through a web-based portal.

Exclusions:

Members with any of the following at any time during the intake period or during the measurement period:

- Bipolar disorder
- Personality disorder
- Psychotic disorder
- Pervasive developmental disorder
- or
- Members in hospice or using hospice services any time during the measurement period

Amerigroup Washington, Inc. Page 16 of 63 Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)

The percentage of members 12 years of age and older who were screened for clinical depression using a standardized instrument and, if screened positive, received follow-up care:

- *Depression Screening* The percentage of members who were screened for clinical depression using a standardized instrument.
- *Follow-Up on Positive Screen* The percentage of members who received follow-up care within 30 days of a positive depression screen finding.

Record your efforts

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for HEDIS reporting is based on eligibility during the participation period.

This measure requires the use of an age-appropriate screening instrument. The member's age is used to select the appropriate depression screening instrument.

Depression screening instrument:

• A standard assessment instrument that has been normalized and validated for the appropriate patient population. Eligible screening instruments with thresholds for positive findings include:

| Instruments for adolescents (≤ 17 years) | Positive finding |
|---|----------------------------|
| Patient Health Questionnaire (PHQ-9)® | Total score ≥ 10 |
| Patient Health Questionnaire Modified for Teens (PHQ- 9M) [®] | Total score ≥ 10 |
| Patient Health Questionnaire-2 (PHQ-2) ^{®1} | Total score ≥ 3 |
| Beck Depression Inventory-Fast Screen (BDI-FS) ^{®1,2} | Total score ≥ 8 |
| Center for Epidemiologic Studies Depression Scale — Revised (CESD-R) | Total score ≥ 17 |
| Edinburgh Postnatal Depression Scale (EPDS) | Total score ≥ 10 |
| PROMIS Depression | Total score (T score) ≥ 60 |

1 Brief screening instrument. All other instruments are full-length.

2 Proprietary; may be cost or licensing requirement associated with use.

| Instruments for adults (18+ years) | Positive finding |
|--|------------------|
| Patient Health Questionnaire (PHQ-9)® | Total score ≥ 10 |
| Patient Health Questionnaire-2 (PHQ-2) ^{®1} | Total score ≥ 3 |

| Instruments for adults (18+ years) | Positive finding |
|--|----------------------------|
| Beck Depression Inventory-Fast Screen (BDI-FS) ^{®1,2} | Total score ≥ 8 |
| Beck Depression Inventory (BDI-II) | Total score ≥ 20 |
| Center for Epidemiologic Studies Depression Scale- Revised (CESD-R) | Total score ≥ 17 |
| Duke Anxiety-Depression Scale (DUKE- AD) ^{®2} | Total score ≥ 30 |
| Geriatric Depression Scale Short Form (GDS) ¹ | Total score ≥ 5 |
| Geriatric Depression Scale Long Form (GDS) | Total score ≥ 10 |
| Edinburgh Postnatal Depression Scale (EPDS) | Total score ≥ 10 |
| My Mood Monitor (M-3)® | Total score ≥ 5 |
| PROMIS Depression | Total score (T score) ≥ 60 |
| Clinically Useful Depression Outcome Scale (CUDOS) | Total score ≥ 31 |

1 Brief screening instrument. All other instruments are full-length.

2 Proprietary; may be cost or licensing requirement associated with use.

Exclusions:

- Members with bipolar disorder in the year prior to the measurement period
- Members with depression that starts during the year prior to the measurement period
- Members in hospice or using hospice services any time during the measurement period

Notes

Immunizations for Adolescents (IMA-E)

This measure reviews members 13 years of age who had one dose of meningococcal vaccine, one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine, and have completed the human papillomavirus (HPV) vaccine series by their 13th birthday. The measure calculates a rate for each vaccine and two combination rates.

Vaccines administered on or before their 13th birthday:

- One MCV/meningococcal vaccine on or between 11th and 13th birthdays, and one Tdap or one Td vaccine on or between their 10th and 13th birthdays
- At least two doses of HPV vaccine with DOS at 146 days apart on or between the 9th and 13th birthdays:
 - Or at least three HPV vaccines with different dates of service on or between the 9th and 13th birthdays

Record your efforts

Immunization information obtained from the medical record:

- A note indicating the name of the specific antigen and the date of the immunization
- A certificate of immunization prepared by an authorized healthcare provider or agency, including the specific dates and types of immunizations administered
- Document in the medical record parent or guardian refusal

Two-dose HPV vaccination series:

• There must be at least 146 days between the first and second dose of the HPV vaccine.

Meningococcal:

• *Do not count* meningococcal recombinant (serogroup B) (MenB) vaccines.

Exclusions:

• Members in hospice or using hospice services anytime during the measurement year

Notes

Postpartum Depression Screening and Follow-Up (PDS-E)

This measure assesses the percentage of deliveries in which members were screened for clinical depression during the postpartum period, and if screened positive, received follow-up care:

- *Depression Screening* The percentage of deliveries in which members were screened for clinical depression using a standardized instrument during the postpartum period.
- *Follow-Up on Positive Screen* The percentage of deliveries in which members received follow-up care within 30 days of a positive depression screen finding.

Record your efforts

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for reporting is based on eligibility during the participation period:

• The delivery date through 60 days following the date of delivery

A standard assessment instrument that has been normalized and validated for the appropriate patient population. Eligible screening instruments with thresholds for positive findings include:

| Instruments for adolescents (≤ 17 years) | Positive finding | |
|--|----------------------------|--|
| Patient Health Questionnaire (PHQ-9)® | Total score ≥ 10 | |
| Patient Health Questionnaire Modified for Teens (PHQ-9M) [®] | Total score ≥ 10 | |
| Patient Health Questionnaire-2 (PHQ-2) ^{®1} | Total score ≥ 3 | |
| Beck Depression Inventory-Fast Screen (BDI-FS) ^{®1,2} | Total score ≥ 8 | |
| Center for Epidemiologic Studies Depression Scale-Revised (CESD-R) | Total score ≥ 17 | |
| Edinburgh Postnatal Depression Scale (EPDS) | Total score ≥ 10 | |
| PROMIS Depression | Total score (T score) ≥ 60 | |
| Instruments for adults (18+ years) | Positive finding | |
| Patient Health Questionnaire (PHQ-9)® | Total score ≥ 10 | |
| Patient Health Questionnaire-2 (PHQ-2) ^{®1} | Total score ≥ 3 | |
| Beck Depression Inventory-Fast Screen (BDI-FS) ^{®1,2} | Total score ≥ 8 | |
| Beck Depression Inventory (BDI-II) | Total score ≥ 20 | |
| Center for Epidemiologic Studies Depression Scale-Revised (CESD-R) | Total score ≥ 17 | |

| Instruments for adults (18+ years) | Positive finding |
|---|----------------------------|
| Duke Anxiety-Depression Scale (DUKE- AD) ^{®2} | Total score ≥ 30 |
| Edinburgh Postnatal Depression Scale (EPDS) | Total score ≥ 10 |
| My Mood Monitor (M-3)® | Total score ≥ 5 |
| PROMIS Depression | Total score (T score) ≥ 60 |
| Clinically Useful Depression Outcome Scale (CUDOS) | Total score ≥ 31 |

1 Brief screening instrument. All other instruments are full-length.

2 Proprietary; may be cost or licensing requirement associated with use.

Exclusions:

• Deliveries in which members were in hospice or using hospice services any time during the measurement period

Notes

Prenatal Depression Screening and Follow-up (PND-E)

This measure assesses the percentage of deliveries in which members were screened for clinical depression while pregnant and, if screened positive, received follow-up care:

- *Depression Screening* The percentage of deliveries in which members were screened for clinical depression during pregnancy using a standardized instrument.
- *Follow-Up on Positive Screen* The percentage of deliveries in which members received follow-up care within 30 days of a positive depression screen finding.

Record your efforts

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for reporting is based on eligibility during the participation period:

- 28 days prior to the delivery date through the delivery date
- A pregnancy episode in which the delivery date occurs during the measurement period

A standard assessment instrument that has been normalized and validated for the appropriate patient population. Eligible screening instruments with thresholds for positive findings include:

| Instruments for adolescents (≤ 17 years) | Positive finding | |
|---|----------------------------|--|
| Patient Health Questionnaire (PHQ-9)® | Total score ≥ 10 | |
| Patient Health Questionnaire Modified for Teens (PHQ-9M) [®] | Total score ≥ 10 | |
| Patient Health Questionnaire-2 (PHQ-2) ^{®1} | Total score ≥ 3 | |
| Beck Depression Inventory-Fast Screen (BDI-FS) ^{®1,2} | Total score ≥ 8 | |
| Center for Epidemiologic Studies Depression Scale-Revised (CESD-R) | Total score ≥ 17 | |
| Edinburgh Postnatal Depression Scale (EPDS) | Total score ≥ 10 | |
| PROMIS Depression | Total score (T score) ≥ 60 | |
| Instruments for adults (18+ years) | Positive finding | |
| Patient Health Questionnaire (PHQ-9)® | Total score ≥ 10 | |
| Patient Health Questionnaire-2 (PHQ-2) ^{®1} | Total score ≥ 3 | |
| Beck Depression Inventory-Fast Screen (BDI-FS) ^{®1,2} | Total score ≥ 8 | |
| Beck Depression Inventory (BDI-II) | Total score ≥ 20 | |
| Center for Epidemiologic Studies Depression Scale-Revised (CESD-R) | Total score ≥ 17 | |

| Instruments for adults (18+ years) | Positive finding |
|---|----------------------------|
| Duke Anxiety-Depression Scale (DUKE- AD) ^{®2} | Total score ≥ 30 |
| Edinburgh Postnatal Depression Scale (EPDS) | Total score ≥ 10 |
| My Mood Monitor (M-3)® | Total score ≥ 5 |
| PROMIS Depression | Total score (T score) ≥ 60 |
| Clinically Useful Depression Outcome Scale (CUDOS) | Total score ≥ 31 |

1 Brief screening instrument. All other instruments are full-length.

2 Proprietary; may be cost or licensing requirement associated with use.

Exclusions:

- Deliveries that occurred at less than 37 weeks gestation
- Deliveries in which members were in hospice or using hospice services any time during the measurement period

Notes

Prenatal Immunization Status (PRS-E)

This measure assesses the percentage of deliveries in the measurement period (January 1 to December 31) in which women had received influenza and tetanus, diphtheria toxoids, and acellular pertussis (Tdap) vaccinations.

Record your efforts

The identifiers and descriptors for each organization's coverage used to define members' eligibility for measure reporting. Allocation for reporting is based on eligibility during the participation period:

- 28 days prior to the delivery date through the delivery date
- A pregnancy episode in which the delivery date occurs during the measurement period

Exclusions:

- Deliveries that occurred at less than 37 weeks gestation
- Deliveries in which members were in hospice or using hospice services any time during the measurement period

Notes

Social Need Screening and Intervention (SNS-E)

The percentage of members who were screened, using prespecified instruments, at least once during the measurement period for unmet food, housing and transportation needs, and received a corresponding intervention if they screened positive:

- Food Screening. The percentage of members who were screened for food insecurity.
- Food Intervention. The percentage of members who received a corresponding intervention within 1 month of screening positive for food insecurity.
- *Housing Screening*. The percentage of members who were screened for housing instability, homelessness or housing inadequacy.
- *Housing Intervention*. The percentage of members who received a corresponding intervention within 1 month of screening positive for housing instability, homelessness or housing inadequacy.
- *Transportation Screening*. The percentage of members who were screened for transportation insecurity.
- *Transportation Intervention.* The percentage of members who received a corresponding intervention within 1 month of screening positive for transportation insecurity.

Record your efforts:

- **Food insecurity:** Uncertain, limited, or unstable access to food that is: adequate in quantity and in nutritional quality; culturally acceptable; safe and acquired in socially acceptable ways.
- **Housing instability**: Currently consistently housed but experiencing any of the following circumstances in the past 12 months: being behind on rent or mortgage, multiple moves, cost burden or risk of eviction.
- **Homelessness:** Currently living in an environment that is not meant for permanent human habitation (for example, cars, parks, sidewalks, abandoned buildings, on the street), not having a consistent place to sleep at night, or because of economic difficulties, currently living in a shelter, motel, temporary or transitional living situation.
- Housing inadequacy: Housing does not meet habitability standards.
- **Transportation insecurity:** Uncertain, limited or no access to safe, reliable, accessible, affordable, and socially acceptable transportation infrastructure and modalities necessary for maintaining one's health, well-being, or livelihood.

Food insecurity instruments Screening item **Positive finding LOINC** LOINC codes codes Accountable Health Communities (AHC) 88122-7 LA28397-0 Health-Related Social Needs (HRSN) LA6729-3 Screening Tool 88123-5 LA28397-0 LA6729-3 American Academy of Family Physicians 88122-7 LA28397-0 (AAFP) Social Needs Screening Tool LA6729-3

Eligible screening instruments with thresholds for positive findings include:

| Food inconvity instruments | | Page 25 | |
|--|----------------------------------|---------------------------------|--|
| Food insecurity instruments | Screening item LOINC codes | Positive finding LOINC codes | |
| | | | |
| | 88123-5 | LA28397-0 | |
| Llooth Loodo Corrogning Donal (91 | 95251-5 | LA6729-3 | |
| Health Leads Screening Panel®1 | 95251-5 | LA33-6 | |
| Hunger Vital Sign™1 (HVS) | 88124-3 | LA19952-3 | |
| Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences [PRAPARE]®1 | 93031-3 | LA30125-1 | |
| Safe Environment for Every Kid (SEEK) ^{®1} | <i>K</i>) ^{®1} 95400-8 | LA33-6 | |
| | 95399-2 | LA33-6 | |
| U.S. Household Food Security Survey (U.S. | 95264-8 | LA30985-8 | |
| FSS) | | LA30986-6 | |
| U.S. Adult Food Security Survey (U.S. FSS) | 95264-8 | LA30985-8 | |
| | | LA30986-6 | |
| U.S. Child Food Security Survey (U.S. FSS) | 95264-8 | LA30985-8 | |
| | | LA30986-6 | |
| U.S. Household Food Security Survey–Six- | 95264-8 | LA30985-8 | |
| Item Short Form (U.S. FSS) | | LA30986-6 | |
| We Care Survey | 96434-6 | LA32-8 | |
| WellRx Questionnaire | 93668-2 | LA33-6 | |

| Housing instability and homelessness instruments | Screening item LOINC codes | Positive finding LOINC codes |
|--|-------------------------------|------------------------------|
| Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool | 71802-3 | LA31994-9 LA31995-6 |
| American Academy of Family Physicians (AAFP) Social Needs Screening Tool | 99550-6 | LA33-6 |
| Children's Health Watch Housing Stability Vital | 98976-4 | LA33-6 |
| Signs ^{™1} | 98977-2 | ≥3 |
| | 98978-0 | LA33-6 |
| Health Leads Screening Panel ^{®1} | 99550-6 | LA33-6 |
| | 93033-9 | LA33-6 |

| | | 1 ugo 20 |
|--|-------------------------------|------------------------------|
| Housing instability and homelessness instruments | Screening item LOINC codes | Positive finding LOINC codes |
| Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences (PRAPARE) ^{®1} | 71802-3 | LA30190-5 |
| We Care Survey | 96441-1 | LA33-6 |
| WellRx Questionnaire | 93669-0 | LA33-6 |

| Housing inadequacy instruments | Screening item LOINC codes | Positive finding LOINC codes |
|---------------------------------------|-------------------------------|------------------------------|
| Accountable Health Communities (AHC) | 96778-6 | LA31996-4 |
| Health-Related Social Needs (HRSN) | | LA28580-1 |
| Screening Tool | | LA31997-2 |
| | | LA31998-0 |
| | | LA31999-8 |
| | | LA32000-4 |
| | | LA32001-2 |
| American Academy of Family Physicians | 96778-6 | LA32691-0 |
| (AAFP) Social Needs Screening Tool | | LA28580-1 |
| | | LA32693-6 |
| | | LA32694-4 |
| | | LA32695-1 |
| | | LA32696-9 |
| | | LA32001-2 |

| Transportation insecurity instruments | Screening item LOINC codes | Positive finding LOINC codes |
|--|-------------------------------|-------------------------------------|
| Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool | 93030-5 | LA33-6 |
| American Academy of Family Physicians (AAFP) Social Needs Screening Tool | 99594-4 | LA33-6 |
| Comprehensive Universal Behavior Screen (CUBS) | 89569-8 | LA29232-8 LA29233-6 LA29234-4 |
| Health Leads Screening Panel ^{®1} | 99553-0 | LA33-6 |
| Protocol for Responding to and Assessing Patients' Assets, Risks and Experiences (PRAPARE) ^{®1} | 93030-5 | LA30133-5 LA30134-3 |
| PROMIS®1 | 92358-1 | LA30024-6 LA30026-1 LA30027-9 |

| | | Page 27 | of 63 |
|---------------------------------------|----------------|------------------------|-------|
| Transportation insecurity instruments | Screening item | Positive finding LOINC | |
| | LOINC codes | codes | |
| WellRx Questionnaire | 93671-6 | LA33-6 | |

1 Proprietary; may be cost or licensing requirement associated with use.

Exclusions:

• Members in hospice or using hospice services any time during the measurement period

Notes

Appendix

Coding for ECDS measures

There are many approved NCQA codes used to identify the services included in the measures listed below. The following are just a few of the approved codes. Please see the NCQA website for a complete list https://www.ncqa.org/.

Follow-Up Care for Children Prescribed ADHD Medication (ADD-E)

| Description | CPT/HCPCS/POS/SNOMED CT |
|-----------------------|--|
| Outpatient POS | POS : 03, 05, 07, 09, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 33, |
| | 49, 50, |
| | 71, 72 |
| Health and behavioral | CPT: 96156, 96158, 96159, 96164, |
| assessment or | 96165, 96167, 96168, 96170, 96171 |
| intervention | |
| Online assessments | CPT: 98960, 98970, 98971, 98972, 99421, 99422, 99423, 99457 |
| | HCPCS: G0071, G2010, G2012 |
| Telephone visits | CPT: 98966, 98967, 98968, 99441, 99442, 99443 |
| | SNOMED CT: 185317003, 314849005, 386472008, 386473003, |
| | 401267002 |
| Telehealth POS | POS: 02, 10 |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Adult Immunization Status (AIS-E)

| CPT/HCPCS/ICD-10/CVX | | |
|--|--|--|
| CPT: 90630, 90653, 90654, 90656, 90658, 90661, 90673, 90674, | | |
| 90682, 90686, 90688, 90689, 90756 | | |
| SNOMED CT: 46233009, 346524008, 346525009, | | |
| 348046004,348047008, 400564003, 400788004, 408752008, | | |
| 418707004, 419562000, 430410002 | | |
| CVX: 88, 135, 140, 141, 144, 150, 153, 155, 158, 166, 168, 171, | | |
| 185, 186, 197, 205 | | |
| CPT: 90660, 90672 | | |
| | | |
| CVX: 111, 149 | | |
| | | |
| CPT : 90714 | | |
| CVX: 09, 113, 115, 138, 139 | | |
| CPT : 90715 | | |
| SNOMED CT: 428251000124104 | | |
| CVX: 115 | | |
| CPT : 90736 | | |
| SNOMED CT: 377008002, 407746005, 407933006, | | |
| 412530002, 424778000 | | |
| CVX: 121 | | |
| | | |
| | | |

| | i uge |
|---|--|
| Immunization | CPT/HCPCS/ICD-10/CVX |
| Herpes zoster recombinant vaccine procedure | CPT : 90750 |
| Herpes zoster recombinant immunization | CVX: 187 |
| CDC race and ethnicity | 1002-5: American Indian or Alaska Native 2028-9: Asian 2054-5: Black or African American 2076-8: Native Hawaiian or Other Pacific Islander 2106-3: White 2135-2: Hispanic or Latino 2186-5: Not Hispanic or Latino |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E)

| Description | CPT/CAT II/LOINC |
|-------------------------|--|
| Cholesterol lab test | CPT: 82465, 83718, 83722, 84478 |
| | LOINC: 2085-9, 2093-3, 2571-8, 3043-7, 9830-1 |
| | SNOMED CT: 14740000, 28036006, 77068002, 104583003, |
| | 104584009, 104586006, 104784006, 104990004, 104991000, |
| | 121868005, 166832000, 166838001, 166839009, 166849007, |
| | 166850007, 167072001, 167073006, 167082000, 167083005, |
| | 167084004, 271245006, 275972003, 314035000, 315017003, |
| | 390956002, 412808005, 412827004, 443915001 |
| Cholesterol test result | SNOMED CT : 166830008, 166831007, 166848004, 259557002, |
| or finding | 365793008, 365794002, 365795001, 365796000, 439953004, |
| | 442193004, 442234001, 442350007, 442480001, 707122004, |
| | 707123009, 67991000119104 |
| Glucose lab test | CPT: 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951 |
| | LOINC: 10450-5, 1492-8, 1494-4, 1496-9, 1499-3, 1501-6, 1504-0, |
| | 1507-3, 1514-9, 1518-0, 1530-5, 1533-9, 1554-5, 1557-8, 1558-6, |
| | 17865-7, 20436-2, 20437-0, 20438-8, 20440-4, 26554-6, 41024-1, |
| | 49134-0, 6749-6, 9375-7 |
| | SNOMED CT : 22569008, 33747003, 52302001, 72191006, |
| | 73128004, 88856000, 104686004, 167086002, 167087006, |
| | 167088001, 167095005, 167096006, 167097002, 250417005, |
| | 271061004, 271062006, 271063001, 271064007, 271065008, |
| | 275810004, 302788006, 302789003, 308113006, 313474007, |
| | 313545000, 313546004, 313624000, 313626003, 313627007, |
| | 313628002, 313630000, 313631001, 313697000, 313698005, |
| | 313810002, 412928005, 440576000, 443780009, 444008003, |
| | 444127006 |
| Glucose test result or | SNOMED CT: 166890005, 166891009, 166892002, 166914001, |
| finding | 166915000, 166916004, 166917008, 166918003, 166919006, |

| Description | CPT/CAT II/LOINC |
|------------------------|---|
| | 166921001, 166922008, 166923003, 442545002 |
| | 444780001 |
| HbA1c lab test | CPT: 83036, 83037 |
| | LOINC: 17856-6, 4548-4, 4549-2, 96595-4 |
| | SNOMED CT: 43396009, 313835008 |
| HbA1c lab test results | CAT II: 3044F, 3046F, 3051F, 3052F |
| or findings | SNOMED CT: 451051000124101, 451061000124104 |
| LDL-C lab test | CPT: 80061, 83700, 83701, 83704, 83721 |
| | LOINC: 12773-8, 13457-7, 18261-8, 18262-6, 2089-1, 49132-4, |
| | 55440-2, 96259-7 |
| | SNOMED CT: 113079009, 166833005, 166840006, 166841005, |
| | 167074000, 167075004, 314036004 |
| LDL-C lab test results | CAT II: 3048F, 3049F, 3050F |
| or findings | |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Unhealthy Alcohol Use Screening and Follow-Up (ASF-E)

| Description | CPT/HCPCS/ICD10CM |
|---|---|
| Alcohol abuse counseling | ICD10CM: Z71.41 |
| and surveillance of alcoholic | |
| Other specified counseling | ICD10CM: Z71.89 |
| Total score (AUDIT) | LOINC: 75624-7 |
| Total score (AUDIT-C) | LOINC: 75626-2 |
| How often have you had four or more drinks in one day during the past year reported? | LOINC: 75889-6 |
| How often have you had five or more drinks in one day during the past year reported | LOINC: 88037-7 |
| Alcohol counseling or other | CPT: 99408, 99409 |
| follow-up care | HCPCS: G0396, G0397, G0443, G2011, H0005, |
| | H0007, H0015, H0016, H0022, H0050, H2035, |
| | H2036, T1006, T1012 |
| | ICD10CM: Z71.41 |
| | SNOMED CT: 20093000, 23915005, 24165007, |
| | 64297001, 386449006, 408945004, 408947007, |
| Aleehel waa diaardar | 408948002, 413473000, 707166002, 429291000124102 |
| Alcohol use disorder | ICD10CM: F10.10, F10.120, F10.121, F10.129, F10.120, F10.120, F10.121, F10.122, F10.120, F10.14 |
| | F10.130, F10.131, F10.132, F10.139, F10.14, |
| | F10.150, F10.151, F10.159, F10.180, F10.181, F10.182, F10.188, F10.19, F10.20, F10.220, F10.221, |
| | F10.162, F10.166, F10.19, F10.20, F10.220, F10.221, F10.229, F10.230, F10.231, F10.232, F10.239, |
| | F10.229, F10.230, F10.231, F10.232, F10.239, F10.239, F10.250, F10.251, F10.259, F10.26, |
| | F10.24, F10.250, F10.251, F10.259, F10.26, F10.27, F10.280, F10.281, F10.282, F10.288, |
| | 1 10.27,1 10.200,1 10.201,1 10.202,1 10.200, |

Amerigroup Washington, Inc. Page 31 of 63

| Description | CPT/HCPCS/ICD10CM |
|-------------|--|
| | F10.29, F10.920, F10.921, F10.929, F10.930, F10.931, |
| | F10.932, F10.939, F10.94, F10.950, |
| | F10.951, F10.959, F10.96, F10.97, F10.980, F10.981, |
| | F10.982, F10.988, F10.99, K29.20, K29.21, K70.10, |
| | K70.11 |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

| Description | CPT/LOINC/SNOMED CT | |
|----------------------|--|--|
| Mammography | CPT: 77061-77063, 77065-77067 | |
| | LOINC: 24604-1, 24605-8, 24606-6, 24610-8, 26175-0, 26176-8, 26177- | |
| | 6, 26287-3, 26289-9, 26291-5, 26346-7, 26347-5, 26348-3, 26349-1, | |
| | 26350-9, 26351-7, 36319-2, 36625-2, 36626-0, 36627-8, 36642-7, | |
| | 36962-9, 37005-6, 37006-4, 37016-3, 37017-1, 37028-8, 37029-6, | |
| | 37030-4, 37037-9, 37038-7, 37052-8, 37053-6, 37539-4, 37542-8, | |
| | 37543-6, 37551-9, 37552-7, 37553-5, 37554-3, 37768-9, 37769-7, | |
| | 37770-5, 37771-3, 37772-1, 37773-9, 37774-7, 37775-4, 38070-9, | |
| | 38071-7, 38072-5, 38090-7, 38091-5, 38807-4, 38820-7, 38854-6, | |
| | 38855-3, 42415-0, 42416-8, 46335-6, 46336-4, 46337-2, 46338-0, | |
| | 46339-8, 46350-5, 46351-3, 46356-2, 46380-2, 48475-8, 48492-3, | |
| | 69150-1, 69251-7, 69259-0 | |
| | SNOMED CT : 12389009, 24623002, 43204002, 71651007, 241055006, | |
| | 241057003, 241058008, 258172002, 439324009, 450566007, | |
| | 709657006, 723778004, 723779007, 723780005, 726551006, | |
| | 833310007, 866234000, 866235004, 866236003, 866237007, | |
| | 384151000119104, 392521000119107, 392531000119105, | |
| | 566571000119105, 572701000119102 | |
| Bilateral mastectomy | ICD10PCS: 0HTV0ZZ- Resection of Bilateral Breast, Open Approach SNOMED CT: | |
| | 14693006- Bilateral subcutaneous mammectomy (procedure) | |
| | 14714006- Bilateral mastectomy with excision of bilateral regional lymph nodes (procedure) | |
| | 17086001- Modified radical mastectomy, bilateral (procedure) | |
| | 22418005- Bilateral simple mastectomy (procedure) | |
| | 27865001- Bilateral mastectomy (procedure) | |
| | 52314009- Bilateral mastectomy extended simple (procedure) | |
| | 60633004- Bilateral subcutaneous mammectomy with synchronous | |
| | implant (procedure) | |
| | 76468001- Bilateral radical mastectomy (procedure) 456903003 | |
| | 726636007- Prophylactic bilateral mastectomy (procedure) | |
| | 836436008- Simple mastectomy of bilateral breasts using robotic assistance (procedure) | |
| | 870629001- Bilateral mastectomy for female to male transsexual | |
| | (procedure) | |
| Unilateral | CPT: 19303, 19305, 19306, 19307 | |
| mastectomy | -,,, | |
| | | |

| Description | CPT/LOINC/SNOMED CT |
|------------------|---|
| Unilateral | ICD10PCS: 0HTU0ZZ- Resection of Left Breast, Open Approach |
| mastectomy left | SNOMED CT: |
| mactoolonity lon | 428571003- Mastectomy of left breast (procedure) |
| | 726429001- Radical mastectomy of left breast (procedure) |
| | 726435001- Subcutaneous mastectomy of left breast (procedure) |
| | 726437009- Modified radical mastectomy of left breast (procedure) |
| | 741009001- Simple mastectomy of left breast (procedure) |
| | 741018004- Subcutaneous mastectomy of left breast with prosthetic |
| | implant (procedure) |
| | 836437004- Simple mastectomy of left breast using robotic assistance |
| | (procedure) |
| | 451211000124109- Prophylactic mastectomy of left breast (procedure) |
| Unilateral | ICD10PCS: 0HTT0ZZ- Resection of Right Breast, Open Approach |
| mastectomy right | SNOMED CT: |
| | 429400009- Mastectomy of right breast (procedure) |
| | 726430006- Radical mastectomy of right breast (procedure) |
| | 726434002- Subcutaneous mastectomy of right breast (procedure) |
| | 726436000- Modified radical mastectomy of right breast (procedure) |
| | 741010006- Simple mastectomy of right breast (procedure) |
| | 741019007- Subcutaneous mastectomy of right breast with prosthetic |
| | implant (procedure) |
| | 836435007- Simple mastectomy of right breast using robotic assistance |
| | (procedure) |
| | 451201000124106- Prophylactic mastectomy of right breast (procedure) |
| CDC race and | 1002-5: American Indian or Alaska Native |
| ethnicity | 2028-9: Asian |
| | 2054-5: Black or African American |
| | 2076-8: Native Hawaiian or Other Pacific Islander |
| | 2106-3: White |
| | 2135-2: Hispanic or Latino |
| | 2186-5: Not Hispanic or Latino |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Cervical Cancer Screening (CCS-E)

| Description | CPT/HCPCS/LOINC/SNOWMED CT |
|---|---|
| Cervical Cytology Lab Test | CPT: 88141, 88142, 88143, 88147, 88148, 88150,88152, 88153, 88164, 88165, 88166, 88167, 88174, 88175 HCPCS: G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, P3000, P3001, Q0091 LOINC: 10524-7, 18500-9, 19762-4, 19764-0, 19765-7, 19766-5, 19774-9, 33717-0, 47527-7, 47528-5 SNOWMED CT: 171149006, 416107004, 417036008, 440623000, 448651000124104 |
| Cervical Cytology Result or Finding | SNOWMED CT: 168406009, 168407000, 168408005, 168410007, 168414003, 168415002, 168416001, 168424006, 250538001, 268543007, 269957009, 269958004, 269959007, 269960002, 269961003, 269963000, 275805003, 281101005, 309081009, 310841002, 310842009, 416030007, 416032004, 416033009, 439074000, 439776006, 439888000, 441087007, 441088002, 441094005, 441219009, 441667007, 700399008, 700400001, 1155766001, 62051000119105, 62061000119107, 98791000119102 |
| High Risk HPV Lab Test | CPT: 87624, 87625 HCPCS: G0476 LOINC: 21440-3, 30167-1, 38372-9, 59263-4, 59264-2, 59420-0, 69002-4, 71431-1, 75694-0, 77379-6, 77399-4, 77400-0, 82354-2, 82456-5, 82675-0, 95539-3 SNOWMED CT: 35904009, 448651000124104 |
| High Risk HPV Test Result or Finding | SNOWMED CT: 718591004 |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Childhood Immunization Status (CIS-E)

Codes to identify immunizations:

| Description | CPT/HCPCS/SNOMED/CVX |
|---|-----------------------------------|
| Anaphylaxis due to hepatitis B | SNOMED CT: 428321000124101 |
| vaccine (disorder) | |
| Anaphylaxis due to rotavirus vaccine (disorder) | SNOMED CT: 428331000124103 |
| Anaphylaxis due to haemophilus influenzae type b vaccine (disorder) | SNOMED CT: 433621000124101 |

| | Page |
|---------------------------------|---|
| Description | CPT/HCPCS/SNOMED/CVX |
| DTaP immunization | CVX: 20, 50, 106, 107, 110, 120, 146 |
| DTaP vaccine procedure | CPT: 90697, 90698, 90700, 90723 |
| | SNOMED CT: 170395004, 170396003, 170397007, |
| | 170399005, 170400003, 170401004, 170402006, |
| | 310306005, 310307001, 310308006, 312870000, |
| | 313383003, 390846000, 390865008, 399014008, |
| | |
| | 412755006, 412756007, 412757003, 412762002, |
| | 412763007, 412764001, 414001002, 414259000, |
| | 414620004, 415507003, 415712004, 770608009, |
| | 770616000, 770617009, 770618004, 787436003, |
| | 787438002, 866158005, 866159002, 866226006, |
| | 428251000124104, 571571000119105, 572561000119108, |
| | 16290681000119103, |
| | 16298561000119108 |
| Inactivated polio vaccine (IPV) | CVX: 10, 89, 110, 120, 146 |
| immunization | |
| Inactivated polio vaccine (IPV) | CPT: 90697, 90698, 90713, 90723 |
| procedure | SNOMED CT: 310306005, 310307001, 310308006, |
| procedure | 312869001, 312870000, 313383003, 390865008, |
| | 396456003, 412762002, 412763007, 412764001, |
| | |
| | 414001002, 414259000, 414619005, 414620004, |
| | 415507003, 415712004, 416144004, 416591003, |
| | 417211006, 417384007, 417615007, 786846001, |
| | 866186002, 866227002, 868266002, 868267006, |
| | 868268001, 868273007, 868274001, 868276004, |
| | 868277008, 870670004, 1162640003, 572561000119108, |
| | 16290681000119103 |
| Measles, mumps, and rubella | CVX: 03, 94 |
| (MMR) immunization | |
| Measles, mumps, and rubella | CPT: 90707, 90710 |
| (MMR) vaccine procedure | SNOMED: 38598009, 170433008, 432636005, |
| | 433733003, 150971000119104, 571591000119106 |
| | 572511000119105 |
| Haemophilus influenzae type B | CVX: 17, 46, 47, 48, 49, 50, 51, 120, 146, 148 |
| (HiB) immunization | |
| Haemophilus influenzae type B | CPT: 90644, 90647, 90648, 90697, 90698, 90748 |
| (HiB) vaccine procedure | SNOMED CT: 127787002, 170343007, 170344001, |
| (TIB) vaccine procedure | 170345000, 170346004, 310306005, 310307001, |
| | |
| | 310308006, 312869001, 312870000, 414001002, |
| | 414259000, 415507003, 415712004, 770608009, |
| | 770616000, 770617009, 770618004, 786846001, |
| | 787436003, 787438002, 16292241000119109 |
| Hepatitis B immunization | CVX: 08, 44, 45, 51, 110, 146 |
| Hepatitis B vaccine procedure | CPT: 90697, 90723, 90740, 90744, 90747, 90748 |
| | HCPCS: G0010 |
| | SNOMED CT: 16584000, 170370000, 170371001, |
| | |

Amerigroup Washington, Inc. Page 35 of 63

| | Page |
|---------------------------------|--|
| Description | CPT/HCPCS/SNOMED/CVX |
| | 170372008, 170373003, 170434002, 170435001, |
| | 170436000, 170437009, 312868009, 396456003, |
| | 770608009, 770616000, 770617009, 770618004, |
| | 786846001, 787438002, 572561000119108 |
| Varicella zoster (VZV) | CVX: 21, 94 |
| immunization | |
| Varicella zoster (VZV) vaccine | CPT: 90710, 90716 |
| procedure | SNOMED CT: 425897001, 428502009, 473164004, |
| | 571611000119101 |
| PCV | CVX: 109, 133, 152 |
| | CPT: 90670 |
| Hepatitis A immunization | CVX: 31, 83, 85 |
| Hepatitis A vaccine procedure | CPT: 90632, 90633, 90634 |
| | SNOMED CT : 170378007, 170379004, 170380001, |
| | 170381002, 170434002, 170435001, 170436000, |
| | 170437009, 243789007, 312868009, 313188000, |
| | 313189008, 314177003, 314178008, 314179000, |
| | 394691002, 412742005, 412743000, 871752004, |
| | 871753009, 871754003, 571511000119102 |
| Rotavirus (two or | CVX: Two-dose: 119 |
| three dose) immunization | CVX: Three-dose: 116, 122 |
| Rotavirus vaccine (two or three | CPT: Two-dose: 90681 |
| dose) procedure | SNOMED CT: Two-dose: 434741000124104 |
| | CPT: Three-dose: 90680 |
| | SNOMED CT: Three dose: 434731000124109 |
| Influenza immunization | CVX: 88, 140, 141, 150, 153, 155, 158, 161, 171, 186 |
| | CPT: 90655, 90657, 90661, 90673, 90685, 90686, 90687, |
| | 90688, 90689, 90756 |
| | SNOMED CT: 86198006, 786847005 |
| Influenza virus LAIV | CVX: 111-Influenza virus vaccine, live attenuated, for |
| immunization | intranasal |
| | 149- Influenza, live, intranasal, quadrivalent |
| | , , , , |
| Influenza virus LAIV vaccine | CPT: 90660, 90672 |
| procedure | |
| | |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Colorectal Cancer Screening (COL-E)

| Description | CPT/HCPCS/LOINC/SNOMED CT |
|-----------------------------|---|
| Colonoscopy | CPT: 44388, 44389, 44390, 44391, 44392, 44394, 44401, |
| | 44402, 44403, 44404, 44405, 44406, 44407, 44408, 45378, |
| | 45379, 45380, 45381, 45382, 45384, 45385, 45386, 45388, |
| | 45389, 45390, 45391, 45392, 45393, 45398 |
| | HCPCS: G0105, G0121 |
| | SNOMED CT: 12350003, 25732003, 34264006, 73761001, |
| | 174158000, 235150006, 235151005, 310634005, |
| | 367535003, 425672002, 425937002, 427459009, |
| | 443998000, 444783004, 446521004, 446745002, |
| | 447021001, 709421007, 710293001, 711307001, |
| | 713154003, 789778002 |
| Flexible sigmoidoscopy | CPT : 45330, 45331, 45332, 45333, 45334, 45335, 45337, |
| 5 17 | 45338, 45340, 45341, 45342, 45346, 45347, 45349, 45350 |
| | HCPCS: G0104 |
| FOBT lab test | CPT : 82270, 82274 |
| | HCPCS: G0328 |
| | LOINC: 12503-9, 12504-7, 14563-1, 14564-9, 14565-6, |
| | 2335-8, 27396-1, 27401-9, 27925-7, 27926-5, 29771-3, |
| | 56490-6, 56491-4, 57905-2, 58453-2, 80372-6 |
| | SNOMED CT: 104435004, 441579003, 442067009, |
| | 442516004, 442554004, 442563002 |
| FOBT test result or finding | SNOMED CT: 59614000, 167667006, 389076003 |
| sDNA FIT lab test | CPT: 81528 |
| | LOINC: 77353-1, 77354-9 |
| sDNA FIT test result or | SNOMED CT: 708699002 |
| finding | |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E)

| Description | ICD10CM/SNOMED CT |
|---------------------|--|
| Major depression or | ICD10MC: F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, |
| dysthymia | F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, |
| | F33.9, F34.1 |
| | SNOMED CT: 832007, 2506003, 2618002, 3109008, |
| | 14183003, 15193003, 15639000, 18818009, 19527009, |
| | 19694002, 20250007, 25922000, 28475009, 30605009, |
| | 33078009, 33135002, 33736005, 36170009, 36474008, |
| | 36923009, 38451003, 38694004, 39809009, 40379007, |
| | 42810003, 42925002, 46244001, 60099002, 63412003, |
| | 63778009, 66344007, 67711008, 69392006, 70747007, |
| | 71336009, 73867007, 75084000, 76441001, 77911002, |
| | 78667006, 79298009, 83176005, 85080004, 87512008, |
| | 191604000, 191610000, 191611001, 191613003, |
| | 231499006, 268621008, 274948002, 300706003, |

| Description | ICD10CM/SNOMED CT |
|-------------------------------|--|
| | 319768000, 320751009, 370143000, 430852001 |
| Patient Health Questionnaire | LOINC: 44261-6 |
| 9 item (PHQ-9) total score | |
| reported | |
| Patient Health Questionnaire- | LOINC: 89204-2 |
| 9: Modified for teens total | |
| score reported.PHQ.teen | |

Depression Remission or Response for Adolescents and Adults (DRR-E)

| Description | CPT/ICD10CM/LOINC/SNOMED CT |
|--|---|
| Patient Health Questionnaire | LOINC: 44261-6 |
| <i>9</i> item (<i>PHQ-9</i>) total score | |
| (Reported) | |
| Patient Health Questionnaire- | LOINC: 89204-2 |
| 9: Modified for teens total | |
| score reported.PHQ.teen | |
| Major depression or | ICD10MC: F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, |
| dysthymia | F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, |
| | F33.9, F34.1 |
| | SNOMED CT : 832007, 2506003, 2618002, 3109008, 14183003, 15193003, 15639000, 18818009, 19527009, |
| | 19694002, 20250007, 25922000, 28475009, 30605009, |
| | 33078009, 33135002, 33736005, 36170009, 36474008, |
| | 36923009, 38451003, 38694004, 39809009, 40379007, |
| | 42810003, 42925002, 46244001, 60099002, 63412003, |
| | 63778009, 66344007, 67711008, 69392006, 70747007, |
| | 71336009, 73867007, 75084000, 76441001, 77911002, |
| | 78667006, 79298009, 83176005, 85080004, 87512008, |
| | 191604000, 191610000, 191611001, 191613003, |
| | 231499006, 268621008, 274948002, 300706003, |
| | 319768000, 320751009, 370143000, 430852001 |
| Interactive Outpatient | CPT: 90791, 90792, 90832, 90834, 90837, 98960, 98961, |
| Encounter | 98962, 98966, 98967, 98968, 98970, 98971, 98972, 99078, |
| | 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, |
| | 99215, 99242, 99243, 99244, 99245, |
| | 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, |
| | 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, |
| | 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, |
| | 99403, 99404, |
| | 99411, 99412, 99421, 99422, 99423, 99441, 99442, 99443, 99457, 99482, 99493, 99493, 99494, 99510 |
| | 99457, 99483, 99492, 99493, 99494, 99510 HCPCS: G0071, G0155, G0176, G0177, G0409, G0410, |
| | G0411, |
| | G0411, G0463, G0512, G2010, G2012,G2250, G2251, G2252, |
| | H0002, H0004, H0031, H0034, H0035, H0036, H0037, |
| | H0039, H0040, H2000, H2001, H2010, H2011, H2012, |
| | |

| Description | CPT/ICD10CM/LOINC/SNOMED CT |
|-------------|--|
| | H2013, H2014, H2015, H2016, H2017, H2018, H2019, |
| | H2020, S0201, S9480, S9484, S9485, T1015 |
| | SNOMED CT: 19681004, 90526000, 185317003, |
| | 185349003, 185463005, 185465003, 270427003, |
| | 270430005, 308335008, 314849005, 386472008, |
| | 386473003,390906007, 401267002, 406547006, 439708006 |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)

| Description | CPT/ICD10CM/HCPCS/LOINC/SNOMED CT |
|--|-------------------------------------|
| Exercise counseling | ICD10CM: Z71.82 |
| Patient Health Questionnaire 9 item (PHQ-9) total score reported | LOINC: 44261-6 |
| Geriatric depression scale (GDS) total | LOINC: 48544-1 |
| <i>Geriatric depression scale (GDS)</i> short version total | LOINC: 48545-8 |
| Patient Health Questionnaire 2 item (PHQ-2) total score reported | LOINC: 55758-7 |
| Edinburgh Postnatal Depression Scale (EPDS) | LOINC: 71354-5 |
| Total score (M3) | LOINC: 71777-7 |
| PROMIS-29 Depression score T-score | LOINC: 71965-8 |
| Patient Health Questionnaire- 9: Modified for Teens total score reported. PHQ.teen | LOINC: 89204-2 |
| Center for Epidemiologic Studies Depression Scale — Revised total score (CESD-R) | LOINC: 89205-9 |
| Beck Depression Inventory Fast Screen total score (BDI) | LOINC: 89208-3 |
| Beck Depression Inventory II total score (BDI) | LOINC: 89209-1 |
| Total score (CUDOS) | LOINC: 90221-3 |
| Final score (DUKE-AD) | LOINC: 90853-3 |
| Symptoms of depression (finding) | SNOMED: 394924000, 788976000 |

| Description | CPT/ICD10CM/HCPCS/I OINC/SNOMED CT |
|--|---|
| Depression | CPT/ICD10CM/HCPCS/LOINC/SNOMED CT ICD10CM: F01.511, F01.518,F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.81, F32.89, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9, F34.1, F34.81, F34.89, F43.21, F43.23, F53.0, F53.1, O90.6, O99.340, O99.341, O99.342, O99.343, O99.344, O99.345 SNOMED CT: 832007, 2506003, 2618002, 3109008, 14183003, 15193003, 15639000, 18818009, 19527009, 19694002, 20250007, 25922000, 28475009, 33078009, 35489007, 36170009, 36474008, 36923009, 38451003, 38694004, 39809009, 40379007, 40568001, 42925002, 48589009, 63778009, 66344007, 67711008, 69392006, 71336009, 73867007, 75084000, 75837004, 7641001, 77486005, 77911002, 78667006, 79298009, 81319007, 83176005, 84760002, 85080004, 87512008, 191610000, 191611001, 191613003, 191616006, 191659001, 192080009, 231504006, 231542000, 268621008, 319768000, 320751009, 370143000, 430852001, 442057004 CPT: 99366, 99492, 99493, 99494 |
| Depression case management encounter | CPT: 99386, 99492, 99493, 99494 HCPCS: G0512, T1016, T1017, T2022, T2023 SNOMED CT: 182832007, 225333008, 385828006, 386230005, 409022004, 410216003, 410219005, 410328009, 410335001, 410346003, 410347007, 410351009, 410352002, 410353007, 410354001, 410356004, 410360001, 410363004, 410364005, 410366007, 416341003, 416584001, 424490002, 425604002, 737850002 |
| Depression or other behavioral health condition | ICD10CM: F01.511, F01.518, F06.4, F10.180, F10.280, F10.980, F11.188, F11.288, F11.988, F12.180, F12.280, F12.980, F13.180, F13.280, F13.980, F14.180, F14.280, F14.980, F15.180, F15.280, F15.980, F16.180, F16.280, F16.980, F18.180, F18.280, F18.980, F19.180, F19.280, F19.980, F20.0, F20.1, F20.2, F20.3, F20.5, F20.81, F20.89, F20.9 F21, F22, F23, F24, F25.0, F25.1, F25.8, F25.9, F28, F29, F30.10, F30.11, F30.12, F30.13, F30.2, F30.3, F30.4, F30.8, F30.9, F31.0, F31.10, F31.11, F31.12, F31.13, F31.2, F31.30, F31.31, F31.32, F31.4, F31.5, F31.60, F31.61, F31.62, F31.63, F31.64, F31.70, F31.71, F31.72, F31.73, F31.74, F31.75, F31.76, F31.77, F31.78, F31.81, F31.89, F31.9, F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.81, F32.89, F32.9, F32.4, F33.0, F33.1, F33.2 F33.3, F33.40, F33.41, F33.42, F33.8, F33.9, F34.0, F34.1, F34.81, F34.89, F34.9, F39, F40.00, F40.01, F40.02, F40.10, F40.11, F40.210, F40.218, F40.220, |

| | rage |
|-------------|--|
| Description | CPT/ICD10CM/HCPCS/LOINC/SNOMED CT |
| | F40.228, F40.230, F40.231, F40.232, F40.233, F40.240, |
| | F40.241, F40.242, F40.243, F40.248, F40.290, F40.291, |
| | F40.298, F40.8, F40.9, F41.0, F41.1, F41.3, F41.8, F41.9, |
| | F42.2, F42.3, F42.4, F42.8, F42.9, F43.0, F43.10, |
| | F43.11, F43.12, F43.20, F43.21, F43.22, F43.23, F43.24, |
| | F43.25, F43.29, F43.81, F43.89, F43.9, F44.89, F45.21, |
| | F51.5, |
| | F53.0, F53.1, F60.0, F60.1, F60.2, F60.3, F60.4, F60.5, |
| | F60.6, F60.7, F60.81, F60.89, F60.9, F63.0, F63.1, F63.2, |
| | F63.3, F63.81, F63.89, F63.9, F68.10, F68.11, F68.12, |
| | F68.13, F68.8, F68.A, F84.0, F84.2, F84.3, F84.5, F84.8, |
| | F84.9, F90.0, F90.1, F90.2, F90.8, F90.9, F91.0, F91.1, |
| | F91.2, F91.3, F91.8, F91.9, F93.0, F93.8, F93.9, F94.0, |
| | F94.1, F94.2, F94.8, F94.9, O90.6, O99.340, O99.341, |
| | 099.342, 099.343, 099.344, 099.345 |
| | |
| | SNOMED CT : 109006, 162004, 281004, 600009, 832007, |
| | 899001, 1145003, 1196001, 1376001, 1380006, 1383008, |
| | 1499003, 1686006, 1816003, 1855002, 1973000, 2312009, |
| | 2403008, 2506003, 2618002, 2815001, 3109008, 3158007 |
| | 3503000, 3530005, 3914008, 4306003, 4441000, 4926007, |
| | 4932002, 4997005, 5095008, 5158005, 5444000, 5464005, |
| | 5507002, 5509004, 5510009, 5703000, 6348008, 7025000, |
| | 7052005, 7200002, 7291006, 7397008, 7461003, 7794004, |
| | 8185002, 8635005, 8837000, 9167000, 9340000, 9674006, |
| | 9760005, 10278007, 10327003, 10586006, 10875004, |
| | 10981006, 11061003, 11806006, 11941006, 12939007, |
| | 12969000, 13313007, 13438001, 13581000, 13601005, |
| | 13670005, 13746004, 14070001, 14077003, 14144000, |
| | 14183003, 14291003, 14495005, 14784000, 15193003, |
| | 15277004, 15639000, 15945005, 15977008, 16295005, |
| | 16506000, 16805009, 16966009, 16990005, 17155009, |
| | 17226007, 17262008, 17496003, 17782008, 17961008, |
| | 18003009, 18085000, 18260003, 18478005, 18573003, |
| | 18653004, 18689007, 18818009, 18941000, 19300006, |
| | 19445006, 19527009, 19694002, 19766004, 20010003, |
| | 20250007, 20385005, 20876004, 20960007, 21586000, |
| | 21634003, 21897009, 21900002, 22121000, 22230001, |
| | 22407005, 22419002, 23148009, 23560001, 23645006, |
| | 24121004, 24125008, 24315006, 24781009, 25501002, |
| | 25766007, 25922000, 26025008, 26203008, 26453000, |
| | 26472000, 26516009, 26530004, 26665006, 26714005, |
| | |
| | 27387000, 27544004, 27720003, 27956007, 28357009, |
| | 28368009, 28475009, 28663008, 28676002, 28857002, |
| | 28864000, 28884001, 29212009, 29599000, 29733004, |
| | 29929003, 30059008, 30310000, 30336007, 30491001, |
| | 30509009, 30520009, 30605009, 30687003, 30935000, |

| | | Page | 4101 |
|-------------|---|------|------|
| Description | CPT/ICD10CM/HCPCS/LOINC/SNOMED CT | | |
| | 31027006, 31177006, 31358003, 31373002, 31446002, | | |
| | 31611000, 31648009, 31658008, 31715000, 31781004, | | |
| | 32009006, 32174002, 32358001, 32388005, 32552001, | | |
| | 32721004, 32875003, 32880007, 33078009, 33135002, | | |
| | 33323008, 33380008, 33449004, 33693007, 33736005, | | |
| | 33871004, 34116005, 34315001, 34938008, 35218008, | | |
| | 35252006, 35253001, 35481005, 35489007, 35607004, | | |
| | 35722002, 35827000, 35846004, 35919005, 36170009, | | |
| | 36217008, 36474008, 36583000, 36622002, 36923009, | | |
| | 37331004, 37739004, 37746008, 37868008, 37872007, | | |
| | 37941009, 38295006, 38328002, 38368003, 38451003, | | |
| | 38547003, 38694004, 39003006, 39465007, 39610001, | | |
| | 39807006, 39809009, 39951001, 40379007, 40568001, | | |
| | 40571009, 40673001, 40926005, 40987004, 41021005, | | |
| | 41083005, 41526007, 41552001, 41832009, 41836007, | | |
| | 42344001, 42594001, 42810003, 42868002, 42925002, | | |
| | 43150009, 43497001, 43568002, 43614003, 43769008, | | |
| | 44031002, 44124003, 44376007, 44966003, 45479006, | | |
| | 45677003, 45912004, 46206005, 46229002, 46244001, | | |
| | 46721000, 46975003, 47372000, 47447001, 47505003, | | |
| | 47664006, 47916000, 48500005, 48589009, 48826008, | | |
| | 48937005, 49271002, 49468007, 49481000, 49512000, | | |
| | 49564006, 50026000, 50320000, 50705009, 50722006, | | |
| | 50878001, 50933003, 50983008, 51133006, 51443000, | | |
| | 51493001, 51637008, 51771007, 52702003, 52824009, | | |
| | 52866005, 52910006, 52954000, 53049002, 53050002, | | |
| | 53467004, 53607008, 53936005, 53956006, 54319003, | | |
| | 54417002, 54502004, 54587008, 54761006, 55009008, | | |
| | 55341008, 55516002, 55668003, 55967005, 56576003, | | |
| | 56627002, 56641006, 56882008, 57194009, 57588009, | | |
| | 57715001, 58214004, 58329000, 58535001, 58647003, | | |
| | 58703003, 59216005, 59617007, 59645001, 59651006, | | |
| | 59923000, 60099002, 60123008, 61104008, 61144001, | | |
| | 61157009, 61180001, 61212007, 61403008, 61569007, | | |
| | 61831009, 61901004, 62239001, 62351001, 63181006, | | |
| | 63204009, 63249007, 63393005, 63412003, 63649001, | | |
| | 63701002, 63778009, 63909006, 63983005, 64060000, | | |
| | 64165008, 64731001, 64905009, 65042007, 65064003, | | |
| | 66307007, 66344007, 66347000, 66381006, 66590003, | | |
| | 66631006, 66936004, 67002003, 67123006, 67195008, | | |
| | 67711008, 68019004, 68569003, 68618008, 68890003, | | |
| | 68963006, 68995007, 69322001, 69361009, 69392006, | | |
| | 69479009, 69482004, 70328006, 70546001, 70691001, | | |
| | 70747007, 70814008, 70932007, 71103003, 71294008, | | |
| | 71328000, 71336009, 71787009, 71959007, 71961003, | | |
| | | |] |

| | Page 42 |
|-------------|---|
| Description | CPT/ICD10CM/HCPCS/LOINC/SNOMED CT |
| | 71984005, 72366004, 72861004, 73097000, 73462009, |
| | 73471000, 73867007, 74010007, 74266001, 74686005, |
| | 74732009, 74850006, 74934004, 75084000, 75122001, |
| | 75360000, 75752004, 75837004, 76105009, 76129002, |
| | 76236006, 76441001, 76566000, 76812003, 76868007, |
| | 77355000, 77475008, 77486005, 77675002, 77815007, |
| | 77911002, 78004001, 78269000, 78358001, 78640000, |
| | 78667006, 79204003, 79298009, 79524000, 79584002, |
| | 79842004, 79866005, 80711002, 80868005, 81319007, |
| | 81463002, 82096005, 82218004, 82339009, 82415003, |
| | 82494000, 82738004, 82998009, 83168008, 83176005, |
| | 83225003, 83253003, 83367009, 83458005, 83501007, |
| | 83631006, 83746006, 83890006, 84466009, 84760002, |
| | 84788008, 84984002, 85061001, 85080004, 85248005, |
| | 85561006, 85821003, 85861002, 86058007, 87132004, |
| | 87203005, 87414006, 87512008, 87798009, 87842000, |
| | 87950005, 87991007, 88740003, 88845000, 88939009, |
| | 88975006, 89415002, 89451009, 89618007, 89948007, |
| | 90755006, 90790003, 93461009, 95637005, 106013002, |
| | 106014008, 106015009, 109805003, 111475002, |
| | 111476001, 111477005, 111479008, 111480006, |
| | 111482003, 111483008, 111484002, 111485001, |
| | 111487009, 111490003, 111491004, 126943008, |
| | 128293007, 129104009, 129604005, 129606007, |
| | 162218007, 162313000, 162702000, 162722001, |
| | 187921002, 191447007, 191455000, 191457008, |
| | 191458003, 191459006, 191466007, 191471000, |
| | 191475009, 191476005, 191478006, 191480000, |
| | 191483003, 191484009, 191485005, 191486006, |
| | 191492000, 191493005, 191494004, 191495003, |
| | 191496002, 191499009, 191501001, 191508007, |
| | 191526005, 191527001, 191531007, 191542003, |
| | 191547009, 191548004, 191554003, 191555002, |
| | 191559008, 191561004, 191562006, 191563001, |
| | 191564007, 191565008, 191567000, 191569002, |
| | 191570001, 191571002, 191572009, 191574005, |
| | 191577003, 191583000, 191584006, 191586008, |
| | 191588009, 191590005, 191592002, 191593007, |
| | 191595000, 191597008, 191604000, 191610000, |
| | 191611001, 191613003, 191616006, 191618007, |
| | 191620005, 191621009, 191623007, 191625000, |
| | 191627008, 191629006, 191630001, 191634005, |
| | 191636007, 191638008, 191639000, 191641004, |
| | 191643001, 191659001, 91667009, 191668004, 191670008, |
| | 191672000, 191676002, 191678001 |
| | 191680007, 191687005, 191689008, 191690004, |
| L | |

| | | Page 43 |
|-------------|---|---------|
| Description | CPT/ICD10CM/HCPCS/LOINC/SNOMED CT | |
| | 191692007, 191693002, 191696005, 191697001, | |
| | 191714002, 191722009, 191724005, 191725006, | |
| | 191726007, 191736004, 191737008, 191738003, | |
| | 191753006, 191765005, 191766006, 191772006, | |
| | 191773001, 191774007, 191787001, 191811004, | |
| | 191812006, 191813001, 191966002, 192014006, | |
| | 192037000, 192038005, 192039002, 192041001, | |
| | 192042008, 192044009, 192046006, 192049004, | |
| | 192051000, 192052007, 192054008, 192056005, | |
| | 192057001, 192058006, 192061007, 192063005, | |
| | 192064004, 192065003, 192069009, 192072002, | |
| | 192073007, 192079006, 192080009, 192082001, | |
| | 192092009, 192097003, 192099000, 192100008, | |
| | 192108001, 192110004, 192119003, 192127007, | |
| | 192131001, 192132008, 192147004, 192362008, | |
| | 192527004, 192562009, 192611004, 192616009, | |
| | 192631000, 197480006, 199257008, 199259006, | |
| | 199260001, 199261002, 199262009, 229623002, | |
| | 229699006, 229700007, 229701006, 229715008, | |
| | 229729009, 229740001, 229744005, 229745006, | |
| | 230334008, 230455006, 231437006, 231438001, | |
| | 231442003, 231443008, 231444002, 231445001, | |
| | 231446000, 231449007, 231450007, 231451006, | |
| | 231452004, 231453009, 231454003, 231455002, | |
| | 231456001, 231467000, 231485007, 231487004, | |
| | 231489001, 231494001, 231496004, 231500002, | |
| | 231504006, 231516000, 231520001, 231521002, | |
| | 231522009, 231523004, 231524005, 231525006, | |
| | 231526007, 231527003, 231528008, 231530005, | |
| | 231536004, 231537008, 231538003, 231539006, | |
| | 231540008, 231541007, 231542000, 231864002, | |
| | 233690008, 237351003, 237352005, 238961003, | |
| | 238966008, 238967004, 238972008, 238973003, | |
| | 238974009, 238975005, 238976006, 238977002, | |
| | 238978007, 238979004, 247803002, 247804008, | |
| | 267320004, 268612007, 268617001, 268619003, | |
| | 268621008, 268622001, 268624000, 268633003, | |
| | 268634009, 268658008, 268661009, 268662002, | |
| | 268664001, 268666004, 268667008, 268668003, | |
| | 268669006, 268673009, 268734000, 270901009, | |
| | 270902002, 270905000, 271428004, 271952001, | |
| | 274948002, 274952002, 274953007, 275473003, | |
| | 275474009, 276296007, 276297003, 278506006, | |
| | 278508007, 278852008, 278853003, 279611005, | |
| | 280032002, 280943007, 280949006, 280994000, | |
| | 286933003, 300706003, 300979000, 301643003, | |

| | | Page 44 |
|-------------|---|---------|
| Description | CPT/ICD10CM/HCPCS/LOINC/SNOMED CT | |
| | 302507002, 307417003, 310495003, 310496002, | |
| | 310497006, 311173003, 312098001, 312936002, | |
| | 313182004, 313224008, 313915006, 317816007, | |
| | 318784009, 319768000, 320751009, 357705009, | |
| | 370143000, 371024007, 371026009, 371596008 | |
| | 371599001, 371600003, 371604007, 371631005, | |
| | 373618009, 386701004, 386810004, 386820009, | |
| | 386821008, 386822001, 386823006, 386824000, | |
| | 386825004, 398066007, 402732001, 402733006, | |
| | 402735004, 403578003, 403579006, 403590001, | |
| | 403593004, 403594005, 403595006, 404906000, | |
| | 406506008, 408856003, 408857007, 416340002, | |
| | 417143004, 417294004, 420774007, 425914008, | |
| | 425919003, 426174008, 426881004, 427469003, | |
| | 427975003, 428687006, 428703001, 429672007, | |
| | 430744005, 430751001, 430852001, 430909002, | |
| | 432091002, 439960005, 441704009, 441711008, | |
| | 441716003, 441833000, 442057004, 442245003, | |
| | 442314000, 442351006, 443919007, 446175003, | |
| | 446180007, 450714000, 473452003, 473456000, | |
| | 473457009, 609225004, 698689005, 698690001, | |
| | 698692009, 698693004, 698696007, 698697003, | |
| | 698699000, 698700004, 698701000, 698946008, | |
| | 698947004, 698951002, 699241002, 702356009, | |
| | 702450004, 702732007, 702815001, 708037001, | |
| | 712823008, 712824002, 712850003, 712884004, | |
| | 713491003, 713583005, 713862009, 714829008, | |
| | 715737004, 715924009, 716096005, 716199000, | |
| | 716578009, 718393002, 719592004, 719600006, | |
| | 720451004, 720452006, 720453001, 720454007, | |
| | 720455008, 722287002, 723332005, 723899008, | |
| | 723900003, 723901004, 723903001, 723905008, | |
| | 723913009, 724673008, 724674002, 724675001, | |
| | 724693000, 724706006, 724718002, 724719005, | |
| | 724730008, 724733005, 724734004, 724735003, | |
| | 724736002, 724737006, 724738001, 724739009, | |
| | 724740006, 724741005, 724742003, 726772006, | |
| | 733623005, 735549008, 735550008, 737225007, | |
| | 762327001, 762332000, 762347009, 762509000, | |
| | 762516004, 765176007, 766824003, 767631007, | |
| | 767632000, 767633005, 767635003, 767636002, | |
| | 770790004, 771448004, 771512003, 782501005, | |
| | 783089006, 789061003, 789399002, 870260008, | |
| | 870261007, 870262000, 870263005, 870264004, | |
| | 870265003, 870266002, 870267006, 870268001, | |
| | 870269009, 870270005, 870280009, 870282001, | |

| Description | CPT/ICD10CM/HCPCS/LOINC/SNOMED CT |
|-------------|--|
| | 870303005, 870304004, 870305003, 870306002, |
| | 870307006, 870308001, 1153575004, 251000119105, |
| | 261000119107, 271000119101, 281000119103, |
| | 7031000119100, 18491000119109, 21071000119101, |
| | 21831000119109, 22641000119109, 22981000119106, |
| | 23601000119102, 23741000119105, 31081000119101, |
| | 39951000119105, 60401000119104, 62211000119103, |
| | 62231000119108, 89381000119107, 89501000119108, |
| | 92501000119101, 94631000119100, 97571000119109, |
| | 104851000119103, 130121000119104, 133091000119105, |
| | 133121000119109, 153071000119108, 270291000119109, |
| | 288271000119103, 288421000119100, 288511000119108, |
| | 288751000119101, 288851000119106, 288861000119108, |
| | 368361000119108, 1740001000004102, |
| | 0811121000119102, 10811161000119107, |
| | 16238741000119105, 16264621000119109, |
| | 16264821000119108, 16264901000119109, |
| | 16265061000119105, 16265301000119106, |
| | 16265951000119109, 16266831000119100, |
| | 6266991000119108 |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Immunizations for Adolescents (IMA-E)

| Description | CPT/CVX/SNOMED CT |
|-------------------|--|
| Meningococcal | CVX: 32, 108, 114, 136, 147, 167, 203 |
| immunization | |
| Meningococcal | CPT: 90619, 90733, 90734 |
| vaccine procedure | SNOMED CT: 390892002, 428271000124109 |
| Tdap immunization | CVX :115 |
| Tdap vaccine | CPT : 90715 |
| procedure | SNOMED CT:428251000124104 |
| HPV immunization | CVX : 62, 118, 137, 165 |
| HPV vaccine | CPT: 90649, 90650, 90651 |
| procedure | SNOMED CT: 428570002, 428741008, 428931000, 429396009 |
| | 734152003, 734154002, 99501000119107, 140611000119104, |
| | 16300531000119107 |
| CDC race and | 1002-5: American Indian or Alaska Native |
| ethnicity | 2028-9: Asian |
| | 2054-5: Black or African American |
| | 2076-8: Native Hawaiian or Other Pacific Islander |
| | 2106-3: White |
| | 2135-2: Hispanic or Latino |
| | 2186-5: Not Hispanic or Latino |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Postpartum Depression Screening and Follow-Up (PDS-E)

| Description | CPT/ HCPCS/SNOMED/ICD10PCS |
|---------------------------|--|
| Behavioral health | CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, |
| encounter | 90838, 90839, 90845, 90846, 90847, 90849, 90853, |
| | 90865, 90867, 90868, 90869, 90870, 90875, 90876, |
| | 90880, 90887, 99484, 99492, 99493 |
| | HCPCS: G0155, G0176, G0177, G0409, G0410, G0411, G0511, |
| | G0512, H0002, H0004, H0031, H0034, H0035, H0036, H0037, |
| | H0039, H0040, H2000, H2001, H2010, H2011, H2012, H2013, |
| | H2014, H2015, H2016, H2017, H2018, H2019, H2020, S0201, |
| | S9480, S9484, S9485 SNOMED CT: 5604008, 10107000, 10007001, 28756000, 45202008 |
| | SNOMED CT: 5694008, 10197000, 10997001, 38756009, 45392008, 79094001, 88848003, 90407005, 91310009, 165171009, 165190001, |
| | 225337009, 370803007, 372067001, 385721005, 385724002, |
| | 385725001, 385726000, 385727009, 385887004, |
| | 385889001,385890005, 401277000, 410223002, 410224008, |
| | 410225009,410226005, 410227001, 410228006, 410229003, |
| | 410230008,410231007, 410232000, 410233005, 410234004, |
| | 439141002 |
| Symptoms of | SNOMED CT: 394924000, 788976000 |
| depression (finding) | |
| | |
| Depression case | CPT: 99366, 99492, 99493, 99494 |
| manager encounter | HCPCS: G0512, T1016, T1017, T2022, T2023 |
| | SNOMED CT : 182832007, 225333008, 385828006, 386230005, |
| | 409022004, 410216003, 410219005, 410328009, 410335001, |
| | 410346003, 410347007, 410351009, 410352002, 410353007, |
| | 410354001, 410356004, 410360001, 410363004, 410364005, |
| | 410366007, 416341003, 416584001, 424490002, 425604002 |
| - | 737850002 |
| Depression or other | ICD10PCS: F01.511, F01.518, F06.4, F10.180, F10.280, F10.980, F11.188, |
| behavioral health | F11.188, F11.288, F11.988, F12.180, F12.280, F12.980, F13.180, F13.280, |
| condition | F13.980, F14.180, F14.280, F14.980, F15.180, F15.280, F15.980, |
| | F16.180, F16.280, F16.980, F18.180, F18.280, F18.980, F19.180, |
| | F19.280, F19.980, F20.0, F20.1, F20.2, F20.3, F20.5, F20.81, |
| | F20.89, F20.9, F21, F22, F23, F24, F25.0, F25.1, F25.8, F25.9, F28, |
| | F29, F30.10, F30.11, F30.12, F30.13, F30.2, F30.3, F30.4, F30.8, |
| | F30.9, F31.0, F31.10, F31.11, F31.12, F31.13, F31.2, F31.30, |
| | F31.31, F31.32, F31.4, F31.5, F31.60, F31.61, F31.62, F31.63, F31.64, F31.70, F31.71, F31.72, F31.73, F31.74, F31.75, F31.76, |
| | F31.74, F31.70, F31.71, F31.72, F31.73, F31.74, F31.75, F31.76, F31.77, F31.78, F31.81, F31.89, F31.9, F32.0, F32.1, F32.2, F32.3, |
| | F32.4, F32.5, F32.81, F32.89, F32.9, F33.0, F33.1, F33.2, F33.3, |
| | F33.40, F33.41, F33.42, F33.8, F33.9, F34.0, F34.1, F34.81, F34.89, |
| | F34.9, F39, F40.00, F40.01, F40.02, F40.10, F40.11, F40.210, |
| The codes and measure tin | s listed are informational only, not clinical guidelines or standards of medical care, and do |

| | Page |
|-------------|---|
| Description | CPT/ HCPCS/SNOMED/ICD10PCS |
| | F40.218, F40.220, F40.228, F40.230, F40.231, F40.232, F40.233, |
| | F40.240, F40.241, F40.242, F40.243, F40.248, F40.290, F40.291, |
| | F40.298, F40.8, F40.9, F41.0, F41.1, F41.3, F41.8, F41.9, F42.2, |
| | F42.3, F42.4, F42.8, F42.9, F43.0, F43.10, F43.11, F43.12, F43.20, |
| | F43.21, F43.22, F43.23, F43.24, F43.25, F43.29, F43.81, F43.89, |
| | F43.9, F44.89, F45.21, F51.5, F53.0, F53.1, F60.0, F60.1, F60.2, |
| | F60.3, F60.4, F60.5, F60.6, F60.7, F60.81, F60.89, F60.9, F63.0, |
| | F63.1, F63.2, F63.3, F63.81, F63.89, F63.9, F68.10, F68.11, F68.12, |
| | F68.13, F68.8, F68.A, F84.0, F84.2, F84.3, F84.5, F84.8, F84.9, |
| | F90.0, F90.1, F90.2, F90.8, F90.9, F91.0, F91.1, F91.2, F91.3, F91.8, |
| | F91.9, F93.0, F93.8, F93.9, F94.0, F94.1, F94.2, F94.8, F94.9, O90.6, |
| | O99.340, O99.341, O99.342, O99.343, O99.344, O99.345 |
| | SNOMED CT: 109006, 162004, 281004, 600009, 832007, 899001, |
| | 1145003, 1196001, 1376001, 1380006, 1383008, 1499003, 1686006, |
| | 1816003, 1855002, 1973000, 2312009, 2403008, 2506003, 2618002, |
| | 2815001, 3109008, 3158007, 3503000, 3530005, 3914008, 4306003, |
| | 4441000, 4926007, 4932002, 4997005, 5095008, 5158005, 5444000, |
| | 5464005, 5507002, 5509004, 5510009, 5703000, 6348008, 7025000, |
| | 7052005, 7200002, 7291006, 7397008, 7461003, 7794004, 8185002, |
| | 8635005, 8837000, 9167000, 9340000, 9674006, 9760005, |
| | 10278007, 10327003, 10586006, 10875004, 10981006, 11061003, |
| | 11806006, 11941006, 12939007, 12969000, 13313007, 13438001, |
| | 13581000, 13601005, 13670005, 13746004, 14070001, 14077003, |
| | 14144000, 14183003, 14291003, 14495005, 14784000, 15193003, |
| | 15277004, 15639000, 15945005, 15977008, 16295005, 16506000, |
| | 16805009, 16966009, 16990005, 17155009, 17226007, 17262008, |
| | 17496003,17782008, 17961008, 18003009, 18085000, 18260003, |
| | 18478005,18573003, 18653004, 18689007, 18818009, 18941000, |
| | 19300006,19445006, 19527009, 19694002, 19766004, 20010003, |
| | 20250007, 20385005, 20876004, 20960007, 21586000, 21634003, |
| | 21897009, 21900002, 22121000, 22230001, 22407005, 22419002, |
| | 23148009, 23560001, 23645006, 24121004, 24125008, 24315006, |
| | 24781009, 25501002, 25766007, 25922000, 26025008, 26203008, |
| | 26453000, 26472000, 26516009, 26530004, 26665006, 26714005, |
| | 27387000, 27544004, 27720003, 27956007, 28357009, 28368009, |
| | 28475009, 28663008, 28676002, 28857002, 28864000, 28884001, |
| | 29212009, 29599000, 29733004, 29929003, 30059008, 30310000, |
| | 30336007, 30491001, 30509009, 30520009, 30605009, 30687003, |
| | 30935000, 31027006, 31177006, 31358003, 31373002, 31446002, |
| | 31611000, 31648009, 31658008, 31715000, 31781004, 32009006, |
| | 32174002, 32358001, 32388005, 32552001, 32721004, 32875003, |
| | 32880007, 33078009, 33135002, 33323008, 33380008, 33449004, |
| | 33693007, 33736005, 33871004, 34116005, 34315001, 34938008, |
| | 35218008, 35252006, 35253001, 35481005, 35489007, 35607004, |
| | 35722002, 35827000, 35846004, 35919005, 36170009, 36217008, |
| | 36474008,36583000, 36622002, 36923009, 37331004, 37739004, |

| | Page | <u>ə</u> 48 |
|-------------|---|-------------|
| Description | CPT/ HCPCS/SNOMED/ICD10PCS | |
| | 37746008, 37868008, 37872007, 37941009, 38295006, 38328002, | 1 |
| | 38368003, 38451003, 38547003, 38694004, 39003006, 39465007, | |
| | 39610001, 39807006, 39809009, 39951001, 40379007, 40568001, | |
| | 40571009, 40673001, 40926005, 40987004, 41021005, 41083005, | |
| | 41526007, 41552001, 41832009, 41836007, 42344001, 42594001, | |
| | 42810003, 42868002, 42925002, 43150009, 43497001, 43568002, | |
| | 43614003, 43769008, 44031002, 44124003, 44376007, 44966003, | |
| | 45479006, 45677003, 45912004, 46206005, 46229002, 46244001, | |
| | 46721000, 46975003, 47372000, 47447001, 47505003, 47664006, | |
| | 47916000, 48500005, 48589009, 48826008, 48937005, 49271002, | |
| | 49468007, 49481000, 49512000, 49564006, 50026000, 50320000, | |
| | 50705009, 50722006, 50878001, 50933003, 50983008, 51133006, | |
| | 51443000, 51493001, 51637008, 51771007, 52702003, 52824009, | |
| | 52866005, 52910006, 52954000, 53049002, 53050002, 53467004, | |
| | 53607008, 53936005, 53956006, 54319003, 54417002, 54502004, | |
| | 54587008, 54761006, 55009008, 55341008, 55516002, 55668003, | |
| | 55967005, 56576003, 56627002, 56641006, 56882008, 57194009, | |
| | 57588009, 57715001, 58214004, 58329000, 58535001, 58647003, | |
| | 58703003, 59216005, 59617007, 59645001, 59651006, 59923000, | |
| | 60099002, 60123008, 61104008, 61144001, 61157009, 61180001, | |
| | 61212007, 61403008, 61569007, 61831009, 61901004, 62239001, | |
| | 62351001, 63181006, 63204009, 63249007, 63393005, 63412003, | |
| | 63649001, 63701002, 63778009, 63909006, 63983005, 64060000, | |
| | 64165008, 64731001, 64905009, 65042007, 65064003, 66307007, | |
| | 66344007, 66347000, 66381006, 66590003, 66631006, 66936004, | |
| | 67002003, 67123006, 67195008, 67711008, 68019004, 68569003, | |
| | 68618008, 68890003, 68963006, 68995007, 69322001, 69361009, | |
| | 69392006, 69479009, 69482004, 70328006, 70546001, 70691001, | |
| | 70747007, 70814008, 70932007, 71103003, 71294008, 71328000, | |
| | 71336009, 71787009, 71959007, 71961003, 71984005, 72366004, | |
| | 72861004, 73097000, 73462009, 73471000, 73867007, 74010007, | |
| | 74266001, 74686005, 74732009, 74850006, 74934004, 75084000, | |
| | 75122001, 75360000, 75752004, 75837004, 76105009, 76129002, | |
| | 76236006, 76441001, 76566000, 76812003, 76868007, 77355000, | |
| | 77475008, 77486005, 77675002, 77815007, 77911002, 78004001, | |
| | 78269000, 78358001, 78640000, 78667006, 79204003, 79298009, | |
| | 79524000, 79584002, 79842004, 79866005, 80711002, 80868005, | |
| | 81319007, 81463002, 82096005, 82218004, 82339009, 82415003, | |
| | 82494000, 82738004, 82998009, 83168008, 83176005, 83225003, | |
| | 83253003, 83367009, 83458005, 83501007, 83631006, 83746006, | |
| | 83890006, 84466009, 84760002, 84788008, 84984002, 85061001, | |
| | 85080004, 85248005, 85561006, 85821003, 85861002, 86058007, | |
| | 87132004, 87203005, 87414006, 87512008, 87798009, 87842000, | |
| | 87950005, 87991007, 88740003, 88845000, 88939009, 88975006, | |
| | 89415002, 89451009, 89618007, 89948007, 90755006, 90790003, | |
| | 93461009, 95637005, 106013002, 106014008, 106015009, | |

| | | Page 49 (|
|-------------|--|-----------|
| Description | CPT/ HCPCS/SNOMED/ICD10PCS | |
| | 109805003, 111475002, 111476001, 111477005, 111479008, | |
| | 111480006, 111482003, 111483008, 111484002, 111485001, | |
| | 111487009, 111490003, 111491004, 126943008, 128293007, | |
| | 129104009, 129604005, 129606007, 162218007, 162313000, | |
| | 162702000, 162722001, 187921002, 191447007, 191455000, | |
| | | |
| | 191457008, 191458003, 191459006, 191466007, 191471000, 191475009, 191476005, 191478006, 191480000, 191483003, | |
| | 191484009, 191485005, 191486006, 191480000, 191483005, 191483005, 191483005, 191485005, 191486006, 191492000, 191493005, 1914850005, 1914850005, 191485005000000000000000000000000000000000 | |
| | | |
| | 191494004, 191495003, 191496002,191499009, 191501001, | |
| | 191508007, 191526005, 191527001, 191531007, 191542003, | |
| | 191547009, 191548004, 191554003, 191555002, 191559008, | |
| | 191561004, 191562006, 191563001, 191564007, 191565008, | |
| | 191567000, 191569002, 191570001, 191571002, 191572009, | |
| | 191574005, 191577003, 191583000, 191584006, 191586008, | |
| | 191588009, 191590005, 191592002, 191593007, 191595000, | |
| | 191597008, 191604000, 191610000, 191611001, 191613003, | |
| | 191616006, 191618007, 191620005, 191621009, 191623007, | |
| | 191625000, 191627008, 191629006, 191630001, 191634005, | |
| | 191636007, 191638008, 91639000, 191641004, 191643001, | |
| | 191659001, 191667009, 191668004, 191670008, 191672000, | |
| | 191676002, 191678001, 191680007, 191687005, 191689008, | |
| | 191690004, 191692007, 191693002, 191696005, 191697001, | |
| | 191714002, 191722009, 191724005, 191725006, 191726007, | |
| | 191736004, 191737008, 191738003, 191753006, 191765005, | |
| | 191766006, 191772006, 191773001, 191774007, 191787001, | |
| | 191811004, 191812006, 191813001, 191966002, 192014006, | |
| | 192037000, 192038005, 192039002, 192041001, 192042008, | |
| | 192044009, 192046006, 192049004, 192051000, 192052007, | |
| | 192054008, 192056005, 192057001, 192058006, 192061007, | |
| | 192063005,192064004, 192065003, 192069009, 192072002, | |
| | 192073007, 192079006, 192080009, 192082001, 192092009, | |
| | 192097003, 192099000, 192100008, 192108001, 192110004, | |
| | 192119003, 192127007, 192131001, 192132008, 192147004, | |
| | 192362008, 192527004, 192562009, 192611004, 192616009, | |
| | 192631000, 197480006, 199257008, 199259006, 199260001, | |
| | 199261002, 199262009, 229623002, 229699006, 229700007, | |
| | 229701006, 229715008, 229729009, 229740001, 229744005, | |
| | 229745006, 230334008, 230455006, 231437006, 231438001, | |
| | 231442003, 231443008, 231444002, 231445001, 231446000, | |
| | 231449007, 231450007, 231451006, 231452004, 231453009, | |
| | 231454003, 231455002, 231456001, 231467000, 231485007, | |
| | 231487004, 231489001, 231494001, 231496004, 231500002, | |
| | 231504006, 231516000, 231520001, 231521002, 231522009, | |
| | 231523004, 231524005, 231525006, 231526007, 231527003, | |
| | 231528008, 231530005, 231536004, 231537008, 231538003, | |
| | 231539006, 231540008, 231541007, 231542000, 231864002, | |

| | | Page |
|-------------|--|------|
| Description | CPT/ HCPCS/SNOMED/ICD10PCS | |
| | 233690008, 237351003, 237352005, 238961003, 238966008, | |
| | 238967004, 238972008, 238973003, 238974009, 238975005, | |
| | 238976006, 238977002, 238978007, 238979004, 247803002, | |
| | 247804008, 267320004, 268612007, 268617001, 268619003, | |
| | 268621008, 268622001, 268624000, 268633003, 268634009, | |
| | 268658008, 268661009, 268662002, 268664001, 268666004, | |
| | 268667008, 268668003, 268669006, 268673009, 268734000, | |
| | 270901009, 270902002, 270905000, 271428004, 271952001, | |
| | 274948002, 274952002, 274953007, 275473003, 275474009, | |
| | 276296007, 276297003, 278506006, 278508007, 278852008, | |
| | 278853003, 279611005, 280032002, 280943007, 280949006, | |
| | 280994000, 286933003, 300706003, 300979000, 301643003, | |
| | | |
| | 302507002, 307417003, 310495003, 310496002, 310497006, | |
| | 311173003, 312098001, 312936002, 313182004, 313224008, | |
| | 313915006, 317816007, 318784009, 319768000, 320751009, | |
| | 357705009, 370143000, 371024007, 371026009, 371596008, | |
| | 371599001, 371600003, 371604007, 371631005, 373618009, | |
| | 386701004, 386810004, 386820009, 386821008, 38682200, | |
| | 386823006, 386824000, 386825004, 398066007, 402732001, | |
| | 402733006, 402735004, 403578003, 403579006, 403590001, | |
| | 403593004, 403594005, 403595006, 404906000, 406506008, | |
| | 408856003, 408857007, 416340002, 417143004, 417294004, | |
| | 420774007, 425914008, 425919003, 426174008, 426881004, | |
| | 427469003, 427975003, 428687006, 428703001, 429672007, | |
| | 430744005, 430751001, 430852001, 430909002, 432091002, | |
| | 439960005, 441704009, 441711008, 441716003, 441833000, | |
| | 442057004, 442245003, 442314000, 442351006, 443919007, | |
| | 446175003, 446180007, 450714000, 473452003, 473456000, | |
| | 473457009, 609225004, 698689005, 698690001, 698692009, | |
| | 698693004, 698696007, 698697003, 698699000, 698700004, | |
| | 698701000, 698946008, 698947004, 698951002, 699241002, | |
| | 702356009, 702450004, 702732007, 702815001, 708037001, | |
| | 712823008, 712824002, 712850003, 712884004, 713491003, | |
| | 713583005, 713862009, 714829008, 715737004, 715924009, | |
| | 716096005, 716199000, 716578009, 718393002, 719592004, | |
| | 719600006, 720451004, 720452006, 720453001, 720454007, | |
| | 720455008, 722287002, 723332005, 723899008, 723900003, | |
| | 723901004, 723903001, 723905008, 723913009, 724673008, | |
| | 724674002, 724675001, 724693000, 724706006, 724718002, | |
| | 724719005, 724730008, 724733005, 724734004, 724735003, | |
| | 724736002, 724737006, 724738001, 724739009, 724740006, | |
| | 724741005, 724742003, 726772006, 733623005, 735549008, | |
| | 735550008, 737225007, 762327001, 762332000, 762347009, | |
| | 762509000, 762516004, 765176007, 766824003, 767631007, | |
| | 767632000, 767633005, 767635003, 767636002, 770790004, | |
| | 771448004, 771512003, 782501005, 783089006, 789061003, | |

| | Page |
|-------------|--|
| Description | CPT/ HCPCS/SNOMED/ICD10PCS |
| | 789399002, 870260008, 870261007, 870262000, 870263005, |
| | 870264004, 870265003, 870266002, 870267006, 870268001, |
| | 870269009, 870270005, 870280009, 870282001, 870303005, |
| | 870304004, 870305003, 870306002, 870307006, 870308001, |
| | 1153575004, 251000119105, 261000119107, 271000119101, |
| | 281000119103, 7031000119100, 18491000119109, |
| | |
| | 21071000119101, 21831000119109, 22641000119109, 22081000110106, 22601000110102, 22741000110105 |
| | 22981000119106, 23601000119102, 23741000119105, |
| | 31081000119101, 39951000119105, 60401000119104, |
| | 62211000119103, 62231000119108, 89381000119107, |
| | 89501000119108, 92501000119101, 94631000119100, |
| | 97571000119109, 104851000119103, 130121000119104, |
| | 133091000119105, 133121000119109, 153071000119108, |
| | 270291000119109, 288271000119103, 288421000119100, |
| | 288511000119108, 288751000119101, 288851000119106, |
| | 288861000119108, 368361000119108, 1740001000004102, |
| | 10811121000119102, 10811161000119107, 16238741000119105, |
| | 16264621000119109, 16264821000119108, 16264901000119109, |
| | 16265061000119105, 16265301000119106, 16265951000119109, |
| | 16266831000119100, 16266991000119108 |
| Deliveries | CPT: 59400, 59409, 59410, 59510, 59514, 59515, 59610, |
| | 59612, 59614, 59618, 59620, 59622 |
| | ICD10PCS: 10D00Z0, 10D00Z1, 10D00Z2, 10D07Z3, 10D07Z4, |
| | 10D07Z5, 10D07Z6, 10D07Z7, 10D07Z8, 10E0XZZ |
| | SNOMED CT: 4504004, 5556001, 10745001, 11466000, |
| | 14119008,15413009, 16819009, 17860005, 18625004, 19390001, |
| | 22633006,25296001, 25828002, 26313002, 28542003, 28860009, |
| | 29613008, 30476003, 33807004, 38479009, 40219000, 40704000, |
| | 40792007,41059002, 45718005, 48204000, 54973000, 57271003, |
| | 58705005,61586001, 62508004, 65243006, 69422002, 71166009, |
| | 72492007, 75928003, 84195007, 85403009, 89053004, 89346004, |
| | 89849000, 90438006, 177141003, 177142005, 177143000, |
| | 177152009, 177157003, 177158008, 177161009, 177162002, |
| | 177164001, 177167008, 177168003, 177170007, 177173009, |
| | 177174003, 177175002, 177176001, 177179008, 177180006, |
| | 177181005, 177184002, 177185001, 236974004, 236975003, |
| | 236976002, 236977006, 236978001, 236980007, 236981006, |
| | |
| | 236982004,236983009, 236984003, 236985002, 236986001, |
| | 236987005, 236988000, 236989008, 236990004, 237311001, |
| | 265639000,274130007, 275168001, 275169009, 288042004, |
| | 288193006, 302382009, 302383004, 306727001, 359940006, |
| | 359943008, 384729004, 384730009, 398307005, 416055001, |
| | 417121007, 450483001, 450484007, 450798003, 699999008, |
| | 70000006, 709004006, 734275002, 734276001, 736018001, |
| | 736020003, 736026009, 736118004, 788180009 |

| | Page 52 |
|--|---------|
| Description | LOINC |
| Beck Depression Inventory Fast Screen total score | 89208-3 |
| Beck Depression Inventory II total score | 89209-1 |
| <i>Center for Epidemiologic Studies Depression Scale</i> — Revised total score | 89205-9 |
| Edinburgh Postnatal Depression Scale total score | 71354-5 |
| My Mood Monitor total score | 71777-7 |
| Patient Health Questionnaire 2 item (PHQ-2) total score | 55758-7 |
| Patient Health Questionnaire 9 item (PHQ-9) total score | 44261-6 |
| Patient Health Questionnaire 9: Modified for teens total score | 89204-2 |
| PROMIS 29 Depression score total score | 71965-8 |
| Clinically Useful Depression Outcome Scale (CUDOS) total score | 90221-3 |
| Duke Anxiety-Depression Scale (DADS) total score | 90853-3 |
| Description | HCPCS |
| Screening for depression is documented as negative; a follow-up plan is not required | G8510 |
| Screening for depression is documented as being positive, and a follow-up plan is documented | G8431 |
| Screening for depression documented as positive, follow-up plan not documented, reason not given | G8511 |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Prenatal Depression Screening and Follow-up (PND-E)

| Description | CPT/ HCPCS/SNOMED CT/ICD10 |
|--------------------|----------------------------|
| 37 weeks gestation | ICD10CM: Z3A.37 |
| | SNOMED CT: 43697006 |
| 38 weeks gestation | ICD10CM: Z3A.38 |
| | SNOMED CT: 13798002 |
| 39 weeks gestation | ICD10CM: Z3A.39 |
| | SNOMED CT: 80487005 |
| 40 weeks gestation | ICD10CM: Z3A.40 |
| | SNOMED CT: 46230007 |
| 41 weeks gestation | ICD10CM: Z3A.41 |
| | SNOMED CT: 63503002 |
| 42 weeks gestation | ICD10CM: Z3A.42 |
| | SNOMED CT: 36428009 |
| Greater than 42 | ICD10CM: Z3A.49 |
| weeks gestation | |

| Description | CPT/ HCPCS/SNOMED CT/ICD10 |
|--------------------------------------|--|
| Weeks of Gestation Less Than 37 | ICD10CM: Z3A.01, Z3A.08, Z3A.09, Z3A.10, Z3A.11, Z3A.12, Z3A.13, Z3A.14, Z3A.15, Z3A.16, Z3A.17, Z3A.18, Z3A.19, Z3A.20, Z3A.21, Z3A.22, Z3A.23, Z3A.24, Z3A.25, Z3A.26, Z3A.27, Z3A.28, Z3A.29, Z3A.30, Z3A.31, Z3A.32, Z3A.33, Z3A.34, Z3A.35, Z3A.36 SNOMED CT: 931004, 6678005, 15633004, 23464008, 25026004, 26690008, 37005007, 38039008, 41438001, 44398003, 46906003, 48688005, 50367001, 54318006, 57907009, 62333002, 63110000, 65035007, 65683006, 72544005, 72846000, 74952004, 79992004, 82118009, 86801005, 86883006, 87178007, 313178001, 313179009, 428058009, 428566005, 428567001, 428930004 SNOMED CT: 412726003 |
| at birth (observable entity) | |
| Behavioral health encounter | CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853 90865, 90867, 90868, 90869, 90870, 90875, 90876 90880, 90887, 99484, 99492, 99493 HCPCS: G0155, G0176, G0177, G0409, G0410, G0411, G0511, G0512, H0002, H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2010, H2011, H2012, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485 SNOMED: 5694008, 10197000, 10997001, 38756009, 45392008, 79094001, 88848003, 90407005, 91310009, 165171009, 165190001, 225337009, 370803007, 372067001, 385721005, 385724002, 385725001, 385726000, 385727009, 385887004, 385889001, 385890005, 401277000, 410223002, 410224008, 410225009, 410226005, 410227001, 410228006, 410229003, 410230008, 410231007, 410232000, 410233005, 410234004, 439141002 |
| Symptoms of depression (finding) | SNOMED CT: 394924000, 788976000 |
| Depression case manager encounter | CPT: 99366, 99492, 99493, 99494 HCPCS: G0512, T1016, T1017, T2022, T2023 SNOMED CT: 182832007, 225333008, 385828006, 386230005, 409022004, 410216003, 410219005, 410328009, 410335001, 410346003, 410347007, 410351009, 410352002, 410353007, 410354001, 410356004, 410360001, 410363004, 410364005, 410366007, 416341003, 416584001, 424490002, 425604002 737850002 |

| Description | CPT/ HCPCS/SNOMED CT/ICD10 |
|---------------------|---|
| Depression or other | ICD10PCS: F01.511, F01.518, F06.4, F10.180, F10.280, F10.980, |
| behavioral health | F11.188, |
| condition | F11.288, F11.988, F12.180, F12.280, F12.980, F13.180, F13.280, |
| | F13.980, F14.180, F14.280, F14.980, F15.180, F15.280, F15.980, |
| | F16.180, F16.280, F16.980, F18.180, F18.280, F18.980, F19.180, |
| | F19.280, F19.980, F20.0, F20.1, F20.2, F20.3, F20.5, F20.81, F20.89 |
| | F20.9, F21, F22, F23, F24, F25.0, F25.1, F25.8, F25.9, F28, F29, |
| | F30.10, F30.11, F30.12, F30.13, F30.2, F30.3, F30.4, F30.8, F30.9, |
| | F31.0, F31.10, F31.11, F31.12, F31.13, F31.2, F31.30, F31.31, F31.32, |
| | F31.4, F31.5, F31.60, F31.61, F31.62, F31.63, F31.64, F31.70, F31.71, |
| | F31.72, F31.73, F31.74, F31.75, F31.76, F31.77, F31.78, F31.81, |
| | F31.89, F31.9, F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, |
| | F32.81, F32.89, F32.9, F32.A, F33.0, F33.1, F33.2, F33.3, F33.40, |
| | F33.41, F33.42, F33.8, F33.9, F34.0, F34.1, F34.81, F34.89, |
| | F34.9, F39, F40.00, F40.01, F40.02, F40.10, F40.11, F40.210, |
| | F40.218, F40.220, F40.228, F40.230, F40.231, F40.232, F40.233, |
| | F40.240, F40.241, F40.242, F40.243, F40.248, F40.290, F40.291, |
| | F40.298, F40.8, F40.9, F41.0, F41.1, F41.3, F41.8, F41.9, F42.2, F42.3, F42.4, F42.8, F42.9, F43.0, F43.10, F43.11, F43.12, F43.20, |
| | F43.21, F43.22, F43.23, F43.24, F43.25, F43.29, F43.81, F43.89, |
| | F43.9, F44.89, |
| | F45.21, F51.5, F53.0, F53.1, F60.0, F60.1, F60.2, F60.3, F60.4, |
| | F60.5, F60.6, F60.7, F60.81, F60.89, F60.9, F63.0, F63.1, F63.2, |
| | F63.3, F63.81, F63.89, F63.9, F68.10, F68.11, F68.12, F68.13, F68.8, |
| | F68.A, F84.0, F84.2, F84.3, F84.5, F84.8, F84.9, F90.0, F90.1, F90.2, |
| | F90.8, F90.9, F91.0, F91.1, F91.2, F91.3, F91.8, F91.9, F93.0, F93.8, |
| | F93.9, F94.0, F94.1, F94.2, F94.8, F94.9, O90.6, O99.340, O99.341, |
| | 099.342, 099.343, 099.344, 099.345 |
| | SNOMED CT: 109006, 162004, 281004, 600009, 832007, 899001, |
| | 1145003, 1196001, 1376001, 1380006, 1383008, 1499003, 1686006, |
| | 1816003, 1855002, 1973000, 2312009, 2403008, 2506003, 2618002, |
| | 2815001, 3109008, 3158007, 3503000, 3530005, 3914008, 4306003, |
| | 4441000, 4926007, 4932002, 4997005, 5095008, 5158005, 5444000, |
| | 5464005, 5507002, 5509004, 5510009, 5703000, 6348008, 7025000, |
| | 7052005, 7200002, 7291006, 7397008, 7461003, 7794004, 8185002, |
| | 8635005, 8837000, 9167000, 9340000, 9674006, 9760005, 10278007, |
| | 10327003, 10586006, 10875004, 10981006, 11061003, 11806006, |
| | 11941006, 12939007, 12969000, 13313007, 13438001, 13581000, |
| | 13601005, 13670005, 13746004, 14070001, 14077003, 14144000, |
| | 14183003, 14291003, 14495005, 14784000, 15193003, 15277004, 15639000, 15945005, 15977008, 16295005, 16506000, 16805009 |
| | 15639000, 15945005, 15977008, 16295005, 16506000, 16805009, 16966009, 16990005, 17155009, 17226007, 17262008, 17496003 |
| | 16966009, 16990005, 17155009, 17226007, 17262008, 17496003, |

| | | Page <u>5</u> 5 o |
|-------------|--|-------------------|
| Description | CPT/ HCPCS/SNOMED CT/ICD10 | |
| | 17782008, 17961008, 18003009, 18085000, 18260003, 18478005 | • |
| | 18573003, 18653004, 18689007, 18818009, 18941000, 19300006 | |
| | 19445006, 19527009, 19694002, 19766004, 20010003, 20250007 | , |
| | 20385005, 20876004, 20960007, 21586000, 21634003, 21897009 | |
| | 21900002, 22121000, 22230001, 22407005, 22419002, 23148009 | - |
| | 23560001, 23645006, 24121004, 24125008, 24315006, 24781009 | |
| | 25501002, 25766007, 25922000, 26025008, 26203008, 26453000 | - |
| | 26472000, 26516009, 26530004, 26665006, 26714005, 27387000 | - |
| | 27544004, 27720003, 27956007, 28357009, 28368009, 28475009 | |
| | 28663008, 28676002, 28857002, 28864000, 28884001, 29212009 | |
| | 29599000, 29733004, 29929003, 30059008, 30310000, 30336007 | |
| | 30491001, 30509009, 30520009, 30605009, 30687003, 30935000 | |
| | 31027006, 31177006, 31358003, 31373002, 31446002, 31611000 | |
| | 31648009, 31658008, 31715000, 31781004, 32009006, 32174002 | |
| | 32358001, 32388005, 32552001, 32721004, 32875003, 32880007 | |
| | 33078009, 33135002, 33323008, 33380008, 33449004, 33693007 | , |
| | 33736005, 33871004, 34116005, 34315001, 34938008, 35218008 | |
| | 35252006, 35253001, 35481005, 35489007, 35607004, 35722002 | |
| | 35827000, 35846004, 35919005, 36170009, 36217008, 36474008 | |
| | 36583000, 36622002, 36923009, 37331004, 37739004, 37746008 | , |
| | 37868008, 37872007, 37941009, 38295006, 38328002, 38368003 | |
| | 38451003, 38547003, 38694004, 39003006, 39465007, 39610001 | |
| | 39807006, 39809009, 39951001, 40379007, 40568001, 40571009 | - |
| | 40673001, 40926005, 40987004, 41021005, 41083005, 41526007 | - |
| | 41552001, 41832009, 41836007, 42344001, 42594001, 42810003 | |
| | 42868002, 42925002, 43150009, 43497001, 43568002, 43614003 | , |
| | 43769008, 44031002, 44124003, 44376007, 44966003, 45479006 | , |
| | 45677003, 45912004, 46206005, 46229002, 46244001, 46721000 | , |
| | 46975003, 47372000, 47447001, 47505003, 47664006, 47916000 | , |
| | 48500005, 48589009, 48826008, 48937005, 49271002, 49468007 | , |
| | 49481000, 49512000, 49564006, 50026000, 50320000, 50705009 | , |
| | 50722006, 50878001, 50933003, 50983008, 51133006, 51443000 | , |
| | 51493001, 51637008, 51771007, 52702003, 52824009, 52866005 | , |
| | 52910006, 52954000, 53049002, 53050002, 53467004, 53607008 | , |
| | 53936005, 53956006, 54319003, 54417002, 54502004, 54587008 | , |
| | 54761006, 55009008, 55341008, 55516002, 55668003, 55967005 | , |
| | 56576003, 56627002, 56641006, 56882008, 57194009, 57588009 | , |
| | 57715001, 58214004, 58329000, 58535001, 58647003, 58703003 | , |
| | 59216005, 59617007, 59645001, 59651006, 59923000, 60099002 | , |
| | 60123008, 61104008, 61144001, 61157009, 61180001, 61212007 | , |
| | 61403008, 61569007, 61831009, 61901004, 62239001, 62351001 | , |
| | 63181006, 63204009, 63249007, 63393005, 63412003, 63649001 | , |

| Description CPT/ HCPCS/SNOMED CT/ICD10 63701002, 63778009, 63909006, 63983005, 640 64731001, 64905009, 65042007, 65064003, 663 66347000, 66381006, 66590003, 66631006, 669 | |
|--|------------------|
| 64731001, 64905009, 65042007, 65064003, 663 | |
| 64731001, 64905009, 65042007, 65064003, 663 | |
| | 307007 66.344007 |
| | |
| 67123006, 67195008, 67711008, 68019004, 685 | |
| 68890003, 68963006, 68995007, 69322001, 693 | |
| 69479009, 69482004, 70328006, 70546001, 706 | |
| 70814008, 70932007, 71103003, 71294008, 713 | |
| 71787009, 71959007, 71961003, 71984005, 723 | |
| 73097000, 73462009, 73471000, 73867007, 740 | |
| 74686005, 74732009, 74850006, 74934004, 750 | |
| 75360000, 75752004, 75837004, 76105009, 76 | |
| 76441001, 76566000, 76812003, 76868007, 773 | |
| 77486005, 77675002, 77815007, 77911002, 780 | |
| 78358001, 78640000, 78667006, 79204003, 792 | |
| 79584002, 79842004, 79866005, 80711002, 808 | , , , |
| 81463002, 82096005, 82218004, 82339009, 824 | |
| 82738004, 82998009, 83168008, 83176005, 832 | |
| 83367009, 83458005, 83501007, 83631006, 837 | |
| 84466009, 84760002, 84788008, 84984002, 850 | |
| 85248005, 85561006, 85821003, 85861002, 860 | |
| 87203005, 87414006, 87512008, 87798009, 878 | |
| 87991007, 88740003, 88845000, 88939009, 889 | |
| 89451009, 89618007, 89948007, 90755006, 907 | |
| 95637005, 106013002, 106014008, 106015009, | |
| 111475002, 111476001, 111477005, 111479008 | |
| 111482003, 111483008, 111484002, 11148500 | |
| 111490003, 111491004, 126943008, 128293007 | |
| 129604005, 129606007, 162218007, 162313000 | |
| 162722001, 187921002, 191447007, 191455000 | |
| 191458003, 191459006, 191466007, 191471000 | |
| 191476005, 191478006, 191480000, 191483003 | |
| 191485005, 191486006, 191492000, 191493005 | |
| 191495003, 191496002,191499009, 191501001 | |
| 191526005, 191527001, 191531007, 191542003 | |
| 191548004, 191554003, 191555002, 191559008 | - |
| 191562006, 191563001, 191564007, 191565008 | |
| 191569002, 191570001, 191571002, 191572009 | |
| 191577003, 191583000, 191584006, 191586008 | - |
| 191590005, 191592002, 191593007, 191595000 | |
| 191604000, 191610000, 191611001, 191613003 | |
| 191618007, 191620005, 191621009, 191623007 | |
| 191627008, 191629006, 191630001, 191634005 | |

| | | Page <u>5</u> 7 |
|-------------|--|-----------------|
| Description | CPT/ HCPCS/SNOMED CT/ICD10 | |
| | 191638008, 91639000, 191641004, 191643001, 191659001, | |
| | 191667009, 191668004, 191670008, 191672000, 191676002, | |
| | 191678001, 191680007, 191687005, 191689008, 191690004, | |
| | 191692007, 191693002, 191696005, 191697001, 191714002, | |
| | 191722009, 191724005, 191725006, 191726007, 191736004, | |
| | 191722009, 191724003, 191723008, 191720007, 191730004, 191737008, 191738003, 191753006, 191765005, 191766006, | |
| | 191772006, 19173001, 191774007, 191787001, 191811004, | |
| | | |
| | 191812006, 191813001, 191966002, 192014006, 192037000, 192038005, 192039002, 192041001, 192042008, 192044009, | |
| | | |
| | 192046006, 192049004, 192051000, 192052007, 192054008, | |
| | 192056005, 192057001, 192058006, 192061007, 192063005, | |
| | 192064004, 192065003, 192069009, 192072002, 192073007, | |
| | 192079006, 192080009, 192082001, 192092009, 192097003, | |
| | 192099000, 192100008, 192108001, 192110004, 192119003, | |
| | 192127007, 192131001, 192132008, 192147004, 192362008, | |
| | 192527004, 192562009, 192611004, 192616009, 192631000, | |
| | 197480006, 199257008, 199259006, 199260001, 199261002, | |
| | 199262009, 229623002, 229699006, 229700007, 229701006, | |
| | 229715008, 229729009, 229740001, 229744005, 229745006, | |
| | 230334008, 230455006, 231437006, 231438001, 231442003, | |
| | 231443008, 231444002, 231445001, 231446000, 231449007, | |
| | 231450007, 231451006, 231452004, 231453009, 231454003, | |
| | 231455002, 231456001, 231467000, 231485007, 231487004, | |
| | 231489001, 231494001, 231496004, 231500002, 231504006, | |
| | 231516000, 231520001, 231521002, 231522009, 231523004, | |
| | 231524005, 231525006, 231526007, 231527003, 231528008, | |
| | 231530005, 231536004, 231537008, 231538003, 231539006, | |
| | 231540008, 231541007, 231542000, 231864002, 233690008, | |
| | 237351003, 237352005, 238961003, 238966008, 238967004, | |
| | 238972008, 238973003, 238974009, 238975005, 238976006, | |
| | 238977002, 238978007, 238979004, 247803002, 247804008, | |
| | 267320004, 268612007, 268617001, 268619003, 268621008, | |
| | 268622001, 268624000, 268633003, 268634009, 268658008, | |
| | 268661009, 268662002, 268664001, 268666004, 268667008, | |
| | 268668003, 268669006, 268673009, 268734000, 270901009, | |
| | 270902002, 270905000, 271428004, 271952001, 274948002, | |
| | 274952002, 274953007, 275473003, 275474009, 276296007, | |
| | 276297003, 278506006, 278508007, 278852008, 278853003, | |
| | 279611005, 280032002, 280943007, 280949006, 280994000, | |
| | 286933003, 300706003, 300979000, 301643003, 302507002, | |
| | 307417003, 310495003, 310496002, 310497006, 311173003, | |
| | 312098001, 312936002, 313182004, 313224008, 313915006, | |
| | | |

| | | Page <u>5</u> 8 of 6 |
|-------------|---|----------------------|
| Description | CPT/ HCPCS/SNOMED CT/ICD10 | |
| | 317816007, 318784009, 319768000, 320751009, 357705009, | |
| | 370143000, 371024007, 371026009, 371596008, 371599001, | |
| | 371600003, 371604007, 371631005, 373618009, 386701004, | |
| | 386810004, 386820009, 386821008, 38682200, 386823006, | |
| | 386824000, 386825004, 398066007, 402732001, 402733006, | |
| | 402735004, 403578003, 403579006, 403590001, 403593004, | |
| | 403594005, 403595006, 404906000, 406506008, 408856003, | |
| | 408857007, 416340002, 417143004, 417294004, 420774007, | |
| | 425914008, 425919003, 426174008, 426881004, 427469003, | |
| | 427975003, 428687006, 428703001, 429672007, 430744005, | |
| | 430751001, 430852001, 430909002, 432091002, 439960005, | |
| | 441704009, 441711008, 441716003, 441833000, 442057004, | |
| | 442245003, 442314000, 442351006, 443919007, 446175003, | |
| | 446180007, 450714000, 473452003, 473456000, 473457009, | |
| | 609225004, 698689005, 698690001, 698692009, 698693004, | |
| | 698696007, 698697003, 698699000, 698700004, 698701000, | |
| | 698946008, 698947004, 698951002, 699241002, 702356009, | |
| | 702450004, 702732007, 702815001, 708037001, 712823008, | |
| | 712824002, 712850003, 712884004, 713491003, 713583005, | |
| | 713862009, 714829008, 715737004, 715924009, 716096005, | |
| | 716199000, 716578009, 718393002, 719592004, 719600006, | |
| | 720451004, 720452006, 720453001, 720454007, 720455008, | |
| | 722287002, 723332005, 723899008, 723900003, 723901004, | |
| | 723903001, 723905008, 723913009, 724673008, 724674002, | |
| | 724675001, 724693000, 724706006, 724718002, 724719005, | |
| | 724730008, 724733005, 724734004, 724735003, 724736002, | |
| | 724737006, 724738001, 724739009, 724740006, 724741005, | |
| | 724742003, 726772006, 733623005, 735549008, 735550008, | |
| | 737225007, 762327001, 762332000, 762347009, 762509000, | |
| | 762516004, 765176007, 766824003, 767631007, 767632000, | |
| | 767633005, 767635003, 767636002, 770790004, 771448004, | |
| | 771512003, 782501005, 783089006, 789061003, 789399002, | |
| | 870260008, 870261007, 870262000, 870263005, 870264004, | |
| | 870265003, 870266002, 870267006, 870268001, 870269009, | |
| | 870270005, 870280009, 870282001, 870303005, 870304004, | |
| | 870305003, 870306002, 870307006, 870308001, 1153575004, | |
| | 251000119105, 261000119107, 271000119101, 281000119103 | 8, |
| | 7031000119100, 18491000119109, 21071000119101, | |
| | 21831000119109, 22641000119109, 22981000119106, | |
| | 23601000119102, 23741000119105, 31081000119101, | |
| | 39951000119105, 60401000119104, 62211000119103, | |
| | 62231000119108, 89381000119107, 89501000119108, | |

| Description | CPT/ HCPCS/SNOMED CT/ICD10 |
|-------------|---|
| | 92501000119101, 94631000119100, 97571000119109, |
| | 104851000119103, 130121000119104, 133091000119105, |
| | 133121000119109, 153071000119108, 270291000119109, |
| | 288271000119103, 288421000119100, 288511000119108, |
| | 288751000119101, 288851000119106, 288861000119108, |
| | 368361000119108, 1740001000004102, 10811121000119102, |
| | 10811161000119107, 16238741000119105, 16264621000119109, |
| | 16264821000119108, 16264901000119109, 16265061000119105, |
| | 16265301000119106, 16265951000119109, 16266831000119100, |
| | 16266991000119108 |
| Deliveries | CPT: 59400, 59409, 59410, 59510, 59514, 59515, 59610, |
| Deliveries | 59612, 59614, 59618, 59620, 59622 |
| | ICD10PCS: 10D00Z0, 10D00Z1, 10D00Z2, 10D07Z3, 10D07Z4, |
| | 10D07Z5, 10D07Z6, 10D07Z7, 10D07Z8, 10E0XZZ |
| | SNOMED CT: 4504004, 5556001, 10745001, 11466000, 14119008, |
| | 15413009, 16819009, 17860005, 18625004, 19390001, 22633006, |
| | 25296001, 25828002, 26313002, 28542003, 28860009, 29613008, |
| | 30476003, 33807004, 38479009, 40219000, 40704000, 40792007, |
| | 41059002, 45718005, 48204000, 54973000, 57271003, 58705005, |
| | 61586001, 62508004, 65243006, 69422002, 71166009, 72492007, |
| | 75928003, 84195007, 85403009, 89053004, 89346004, 89849000 |
| | 90438006, 177141003, 177142005, 177143000, 177152009, |
| | 177157003, 177158008, 177161009, 177162002, 177164001, |
| | 177167008, 177168003, 177170007, 177173009, 177174003, |
| | 177175002, 177176001, 177179008, 177180006, 177181005, |
| | 177184002, 177185001, 236974004, 236975003, 236976002, |
| | 236977006, 236978001, 236980007, 236981006, 236982004, |
| | 236983009, 236984003, 236985002, 236986001, 236987005, |
| | 236988000, 236989008, 236990004, 237311001, 265639000, |
| | 274130007, 275168001, 275169009, 288042004, 288193006, |
| | 302382009, 302383004, 306727001, 359940006, 359943008, |
| | 384729004, 384730009, 398307005, 416055001, 417121007, |
| | 450483001, 450484007, 450798003, 699999008, 700000006, |
| | 709004006, 734275002, 734276001, 736018001, 736020003, |
| | 736026009, 736118004, 788180009 |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

| Description | LOINC |
|---|---------|
| Beck Depression Inventory Fast Screen total score | 89208-3 |
| Beck Depression Inventory II total score | 89209-1 |
| Center for Epidemiologic Studies Depression Scale — Revised total | 89205-9 |
| score | |
| Edinburgh Postnatal Depression Scale total score | 71354-5 |
| My Mood Monitor total score | 71777-7 |

| | i aye u |
|--|---------|
| Description | LOINC |
| Patient Health Questionnaire 2 item (PHQ-2) total score | 55758-7 |
| Patient Health Questionnaire 9 item (PHQ-9) total score | 44261-6 |
| Patient Health Questionnaire 9: Modified for teens total score | 89204-2 |
| PROMIS 29 Depression score total score | 71965-8 |
| Clinically Useful Depression Outcome Scale (CUDOS) total score | 90221-3 |
| Duke Anxiety-Depression Scale (DADS) total score | 90853-3 |
| Description | HCPCS |
| Screening for depression is documented as negative; a follow-up plan | G8510 |
| is not required | |
| Screening for depression is documented as being positive, and a | G8431 |
| follow-up plan is documented | |
| Screening for depression documented as positive, follow-up plan not | G8511 |
| documented, reason not given | |
| | |

Prenatal Immunization Status (PRS-E)

| Description | CPT/CVX/SNOMED CT |
|------------------------------|---|
| Adult influenza immunization | CVX: 88, 135, 140, 141, 144, 150, 153, 155, 158, 166, 168, |
| | 171, 185, 186, 197, 205 |
| Adult influenza vaccine | CPT: 90630, 90653, 90654, 90656, 90658, 90661, 90662, |
| procedure | 90673, 90674, 90682, 90686, 90688, 90689, 90694, 90756 |
| | SNOMED CT: 46233009, 346524008, 346525009, |
| | 348046004, |
| | 348047008, 400564003, 400788004, 408752008, 418707004, |
| | 419562000, 430410002 |
| Tdap immunization | CVX : 115 |
| Tdap vaccine procedure | CPT : 90715 |
| | SNOMED CT: 428251000124104 |
| Length of gestation at birth | SNOMED CT: 412726003 |
| (observable entity) | |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Social Need Screening and Intervention (SNS-E)

| Description | CPT/HCPCS/LOINC/SNOWMED CT |
|-----------------|---|
| Food insecurity | CPT: 96156, 96160, 96161, 97802, 97803, 97804 |
| procedures | HCPCS: S5170, S9470 |
| | SNOWMED CT: 1759002, 61310001, 103699006, 308440001, |
| | 385767005, 710824005, 710925007, 711069006, 713109004, |
| | 1002223009, 1002224003, 1002225002, 1004109000, 1004110005, |
| | 1148446004, 441041000124100, 441201000124108, |
| | 441231000124100, 441241000124105, 441251000124107, |
| | 441261000124109, 441271000124102, 441281000124104, |
| | 441291000124101, 441301000124100, 441311000124102, |
| | 441321000124105, 441331000124108, 441341000124103, |
| | 441351000124101, 445291000124103, 445301000124102, |
| | 445641000124105, 462481000124102, 462491000124104, |
| | 464001000124109, 464011000124107, 464021000124104, |

| | Page 61 of 63 |
|-------------------------|---|
| Description | CPT/HCPCS/LOINC/SNOWMED CT |
| | 464031000124101, 464041000124106, 464051000124108, |
| | 464061000124105, 464071000124103, 464081000124100, |
| | 464091000124102, 464101000124108, 464111000124106, |
| | 464121000124103, 464131000124100, 464141000124105, |
| | 464151000124107, 464161000124109, 464171000124102, |
| | 464181000124104, 464191000124101, 464201000124103, |
| | 464211000124100, 464221000124108, 464231000124106, |
| | 464241000124101, 464251000124104, 464261000124102, |
| | 464271000124109, 464281000124107, 464291000124105, |
| | 464301000124106, 464311000124109, 464321000124101, |
| | 464331000124103, 464341000124108, 464351000124105, |
| | 464361000124107, 464371000124100, 464401000124102, |
| | 464411000124104, 464421000124107, 464431000124105, |
| | 464611000124102, 464621000124105, 464631000124108, |
| | |
| | 464641000124103, 464651000124101, 464661000124104, |
| | 464671000124106, 464681000124109, 464691000124107, |
| | 464701000124107, 464721000124102, 467591000124102, |
| | 467601000124105, 467611000124108, 467621000124100, |
| | 467631000124102, 467641000124107, 467651000124109, |
| | 467661000124106, 467671000124104, 467681000124101, |
| | 467691000124103, 467711000124100, 467721000124108, |
| | 467731000124106, 467741000124101, 467751000124104, |
| | 467761000124102, 467771000124109, 467781000124107, |
| | 467791000124105, 467801000124106, 467811000124109, |
| | 467821000124101, 470231000124107, 470591000124109, |
| | 470601000124101, 470611000124103, 471111000124101, |
| | 471121000124109, 471131000124107, 472151000124109, |
| | 472331000124100 |
| Homelessness procedures | CPT: 96156, 96160, 96161 |
| | SNOWMED CT: 308440001, 308440001, 710824005, 711069006, |
| | 1148446004, 1148447008, 1148812007, 1148814008, 1148817001, |
| | 1148818006, 462481000124102, 462491000124104, |
| | 464001000124109, 464011000124107, 464021000124104, |
| | 464131000124100, 464161000124109, 464291000124105, |
| | 464301000124106, 464311000124109, 464611000124102, |
| | 470231000124107, 470471000124109, 470481000124107, |
| | 470491000124105, 470501000124102, 470581000124106, |
| | 470591000124109, 470601000124101, 470611000124103, |
| | 470781000124104, 470791000124101, 470801000124100, |
| | 470811000124102, 470821000124105, 470831000124108, |
| | 470841000124103, 471021000124108, 471031000124106, |
| | 471041000124101, 471071000124109, 471081000124107, |
| | 471091000124105, 471101000124104, 471111000124101, |
| | 471121000124109, 471131000124107, 472031000124103, |
| | 472041000124108, 472051000124105, 472081000124102, |
| | 472091000124104, 472101000124105, 472081000124102, 472091000124108, |
| | +12031000124104, 412101000124103, 412111000124100, |

| | Page 62 of 63 |
|---------------------|---|
| Description | CPT/HCPCS/LOINC/SNOWMED CT |
| | 472121000124100, 472131000124102, 472141000124107, |
| | 472151000124109, 472161000124106, 472191000124103, |
| | 472221000124105, 472241000124103, 472261000124104, |
| | 472301000124108, 472311000124106, 472321000124103, |
| | 472331000124100, 472341000124105, 472351000124107, |
| | 472361000124109, 480791000124106, 480801000124107, |
| | |
| | 480811000124105, 480821000124102, 480831000124104, |
| | 480871000124101, 480901000124101, 480921000124106, |
| | 480931000124109, 480941000124104, 480961000124100, |
| | 480971000124107, 480981000124105, 710824005, 711069006, |
| | 1148446004, 1148447008, 1148812007, 1148814008 |
| | 1148817001, 1148818006, 462481000124102, 462491000124104, |
| | 464001000124109, 464011000124107, 464021000124104, |
| | 464131000124100, 464161000124109, 464291000124105, |
| | 464301000124106, 464311000124109, 464611000124102, |
| | 470231000124107, 470471000124109, 470481000124107, |
| | 470491000124105, 470501000124102, 470581000124106, |
| | |
| | 470591000124109, 470601000124101, 470611000124103, |
| | 470781000124104, 470791000124101, 470801000124100, |
| | 470811000124102, 470821000124105, 470831000124108, |
| | 470841000124103, 471021000124108, 471031000124106, |
| | 471041000124101, 471071000124109, 471081000124107, |
| | 71091000124105, 471101000124104, 471111000124101, |
| | 471121000124109, 471131000124107, 472031000124103, |
| | 472041000124108, 472051000124105, 472081000124102, |
| | 472091000124104, 472101000124105, 472111000124108, |
| | 472121000124100, 472131000124102, 472141000124107, |
| | 472151000124109, 472161000124106, 472191000124103, |
| | 472221000124105, 472241000124103, 472261000124104, |
| | |
| | 472301000124108, 472311000124106, 472321000124103, |
| | 472331000124100, 472341000124105, 472351000124107, |
| | 472361000124109, 480791000124106, 480801000124107, |
| | 480811000124105, 480821000124102, 480831000124104, |
| | 480871000124101, 480901000124101, 480921000124106, |
| | 480931000124109, 480941000124104, 480961000124100, |
| | 480971000124107, 480981000124105 |
| Housing instability | CPT: 96156, 96160, 96161 |
| procedures | SNOWMED CT: 308440001, 710824005, 711069006, 1148446004, |
| | 1148447008, 1148812007, 1148814008, 1148817001, 1148818006, |
| | 462481000124102, 462491000124104, 464001000124109, |
| | 464011000124107, 464021000124104, 464131000124100, |
| | 464161000124109, 464291000124105, 464301000124106, |
| | 464311000124109, 464611000124102, 470231000124107, |
| | |
| | 470471000124109, 470481000124107, 470591000124109, |
| | 470601000124101, 470611000124103, 471041000124101, |
| | 471051000124104, 471061000124102, 471071000124109, |

| | Page 63 01 63 |
|---------------------------|---|
| Description | CPT/HCPCS/LOINC/SNOWMED CT |
| | 471111000124101, 471121000124109, 471131000124107, |
| | 472081000124102, 472091000124104, 472131000124102, |
| | 472151000124109, 472161000124106, 472191000124103, |
| | 472221000124105, 472241000124103, 472261000124104, |
| | 472271000124106, 472281000124109, 472291000124107, |
| | 472331000124100, 472381000124104, 480841000124109, |
| | 480851000124106, 480861000124108, 480901000124101 |
| Inadequate housing | CPT: 96156, 96160, 96161 |
| procedures | SNOWMED CT: 49919000, 308440001, 710824005, 711069006, |
| | 1148446004, 1148813002, 1148815009, 1148823006, |
| | 462481000124102, 462491000124104, 464001000124109, |
| | 464011000124107, 464021000124104, 464131000124100, |
| | 464161000124109, 464291000124105, 464301000124106, |
| | 464311000124109, 464611000124102, 470231000124107, |
| | 470431000124106, 470441000124101, 470451000124104, |
| | 470461000124102, 470591000124109, 470601000124101, |
| | 470611000124103, 471111000124101, 471121000124109, |
| | 471131000124107, 472151000124109, 472201000124100, |
| | 472211000124102, 472231000124108, 472251000124101, |
| | 472331000124100, 472371000124102, 480881000124103, |
| | 480891000124100, 480911000124103, 480951000124102 |
| Transportation insecurity | CPT: 96156, 96160, 96161 |
| procedures | SNOWMED CT: 308440001, 710824005, 711069006, 1148446004, |
| | 462481000124102, 462491000124104, 464001000124109, |
| | 464011000124107, 464021000124104, 464131000124100, |
| | 464161000124109, 464291000124105, 464301000124106, |
| | 464311000124109, 464611000124102, 470231000124107, |
| | 470591000124109, 470601000124101, 470611000124103, |
| | 471111000124101, 471121000124109, 471131000124107, |
| | 472151000124109, 472331000124100 |

Note: The codes listed are informational only; this information does not guarantee reimbursement.

